| SPEC | SPEC                                     | ITEM        | ITEM  | UNIT OF    |
|------|--|-------------|---|------------|
| YEAR | BOOK                                     | NUM         | DESCRIPTION   | MEASURE    |
| 2024 | Standard Specifications for Construction | 199.5201    | CLAIM DECISION PAYMENT, ADMINISTRATIVE (N.A.B.I.)               | DOLLAR     |
| 2024 | Standard Specifications for Construction | 199.5202    | CLAIM SETTLEMENT, ADMINISTRATIVE (N.A.B.I.)                     | DOLLAR     |
| 2024 | Standard Specifications for Construction | 199.5203    | CLAIM DECISION, JUDICIAL (N.A.B.I.)                             | DOLLAR     |
| 2024 | Standard Specifications for Construction | 199.5204    | CLAIM DECISION ATTORNEY FEES (N.A.B.I.)                         | DOLLAR     |
| 2024 | Standard Specifications for Construction | 199.5205    | CLAIM DECISION INTEREST PAYMENT (N.A.B.I.)                      | DOLLAR     |
| 2024 | Standard Specifications for Construction | 199.5291    | VALUE ENGINEERING PROPOSAL DEVELOPMENT COSTS (N.A.B.I.)         | DOLLAR     |
| 2024 | Standard Specifications for Construction | 199.5292    | VALUE ENGINEERING PROPOSAL NET SAVINGS<br>(N.A.B.I.)            | DOLLAR     |
| 2024 | Standard Specifications for Construction | 199.5293    | VALUE ENGINEERING PROPOSAL PAYMENT<br>ADJUSTMENT (N.A.B.I.)     | DOLLAR     |
| 2024 | Standard Specifications for Construction | 199.8101    | INCENTIVE OR DISINCENTIVE (N.A.B.I.)                            | DOLLAR     |
| 2024 | Standard Specifications for Construction | 199.8121    | LIQUIDATED DAMAGES, INTERIM COMPLETION DATE (N.A.B.I.)          | DOLLAR     |
| 2024 | Standard Specifications for Construction | 199.9061    | FORCE ACCOUNT WORK (N.A.B.I.)                                   | DOLLAR     |
| 2024 | Standard Specifications for Construction | 199.9999    | LIQUIDATED DAMAGES, TRAIN DELAY (N.A.B.I.)                      | DOLLAR     |
| 2024 | Standard Specifications for Construction | 201.1000    | CLEARING AND GRUBBING, INCLUDING<br>INDIVIDUAL TREES AND STUMPS | LUMP SUM   |
| 2024 | Standard Specifications for Construction | 201.1100    | CLEARING AND GRUBBING, INCLUDING<br>INDIVIDUAL TREES AND STUMPS | ACRE       |
| 2024 | Standard Specifications for Construction | 201.1500    | REMOVING MEDIUM TREES   | EACH       |
| 2024 | Standard Specifications for Construction | 201.1600    | REMOVING LARGE TREES  | EACH       |
| 2024 | Standard Specifications for Construction | 201.2000    | REMOVING MEDIUM STUMPS  | EACH       |
| 2024 | Standard Specifications for Construction | 201.2100    | REMOVING LARGE STUMPS   | EACH       |
| 2024 | Standard Specifications for Construction | 201.3000    | THINNING AND TRIMMING   | ACRE       |
| 2024 | Standard Specifications for Construction | 201.3100    | THINNING AND TRIMMING FOR SIGNS                                 | EACH       |
| 2024 | Standard Specifications for Construction | 202.1000    | DEMOLITION AND DISPOSAL OF BUILDING                             | EACH       |
| 2024 | Standard Specifications for Construction | 203.1500    | COMMON EXCAVATION   | CUBIC YARD |
| 2024 | Standard Specifications for Construction | 203.1500001 | MANAGEMENT OF INVASIVE SPECIES                                  | CUBIC YARD |
| 2024 | Standard Specifications for Construction | 203.1600    | SOLID ROCK EXCAVATION   | CUBIC YARD |
| 2024 | Standard Specifications for Construction | 203.1700    | UNCLASSIFIED EXCAVATION   | CUBIC YARD |
| 2024 | Standard Specifications for Construction | 203.2000    | MUCK EXCAVATION   | CUBIC YARD |
| 2024 | Standard Specifications for Construction | 203.2500    | CHANNEL EXCAVATION OF EARTH                                     | CUBIC YARD |
| 2024 | Standard Specifications for Construction | 203.2600    | CHANNEL EXCAVATION OF ROCK                                      | CUBIC YARD |

| 2024 | Standard Specifications for Construction | 203.2700    | UNCLASSIFIED CHANNEL EXCAVATION                        | CUBIC YARD  |
|------|--|-------------|--|-------------|
| 2024 | Standard Specifications for Construction | 203.2800    | EXCAVATION OF SURFACES AND PAVEMENTS                   | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 203.3000    | EARTH BORROW   | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 203.3000001 | CLAY BORROW  | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 203.3100    | SAND BORROW  | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 203.3200    | GRANULAR BORROW  | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 203.3500    | GRAVEL FILTER FOR SLOPE STABILIZATION                  | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 203.4000    | SHOULDER BERM REMOVAL                                  | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 203.4500    | TEST BORINGS   | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 204.2000    | TRENCH EXCAVATION OF EARTH                             | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 204.2100    | TRENCH EXCAVATION OF ROCK                              | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 204.2200    | TRENCH EXCAVATION OF EARTH, EXPLORATORY (N.A.B.I.)     | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 204.2500    | STRUCTURE EXCAVATION                                   | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 204.3000    | GRANULAR BACKFILL FOR STRUCTURES                       | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 205.1000    | DRILLING AND BLASTING OF SOLID ROCK<br>SUBGRADE        | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 205.2000    | DRILLING AND BLASTING USING PERIMETER CONTROL          | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 206.1000    | HAND SCALING WITH VEGETATION REMOVAL                   | HOUR        |
| 2024 | Standard Specifications for Construction | 206.1500    | MACHINE SCALING WITH VEGETATION REMOVAL                | HOUR        |
| 2024 | Standard Specifications for Construction | 206.3000    | LEDGE SALVAGE MATERIAL                                 | TON         |
| 2024 | Standard Specifications for Construction | 206.3500    | LEDGE WASTE MATERIAL                                   | TON         |
| 2024 | Standard Specifications for Construction | 208.3000    | COFFERDAM EXCAVATION, EARTH                            | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 208.3500    | COFFERDAM EXCAVATION, ROCK                             | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 208.4000    | COFFERDAM  | LUMP SUM    |
| 2024 | Standard Specifications for Construction | 209.0100    | TRENCHLESS EXCAVATION, HORIZONTAL DIRECTIONAL DRILLING | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 209.0100001 | CURED-IN-PLACE PIPE LINER, ULTRAVIOLET                 | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 210.1000    | COARSE-MILLING, BITUMINOUS PAVEMENT                    | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 210.1200    | FINE-MILLING, BITUMINOUS PAVEMENT                      | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 213.1000    | MILLED RUMBLE STRIPS                                   | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 213.2010    | MILLED RUMBLE STRIPS, SHOULDER                         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 213.2015    | MILLED RUMBLE STRIPS, SINUSOIDAL SHOULDER              | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 213.3010    | MILLED RUMBLE STRIPS, CENTERLINE                       | LINEAR FOOT |
|      | •  | •           | •  | •           |

| Standard Specifications for Construction | 213.3015  | MILLED RUMBLE STRIPS, SINUSOIDAL<br>CENTERLINE   | LINEAR FOOT      |
|--|---|--|------------------|
| Standard Specifications for Construction | 217.1000  | REINFORCED SOIL SLOPE  | SQUARE YARD      |
| Standard Specifications for Construction | 219.1000  | SLOPE STABILIZATION NAIL   | LINEAR FOOT      |
| Standard Specifications for Construction | 219.1500  | SLOPE STABILIZATION NAIL TESTING   | EACH             |
| Standard Specifications for Construction | 219.2000  | SLOPE STABILIZATION SYSTEM, SHOTCRETE FACING   | SQUARE FOOT      |
| Standard Specifications for Construction | 219.3000  | SLOPE STABILIZATION SYSTEM, WIRE MESH FACING   | SQUARE FOOT      |
| Standard Specifications for Construction | 221.1000  | ROCK SLOPE STABILIZATION DOWEL   | LINEAR FOOT      |
| Standard Specifications for Construction | 221.1500  | ROCK SLOPE STABILIZATION DOWEL TESTING   | EACH             |
| Standard Specifications for Construction | 221.2000  | ROCK SLOPE STABILIZATION ANCHOR  | LINEAR FOOT      |
| Standard Specifications for Construction | 221.2500  | ROCK SLOPE STABILIZATION ANCHOR TESTING  | EACH             |
| Standard Specifications for Construction | 221.3000  | ROCK SLOPE STABILIZATION SHEAR KEY   | LINEAR FOOT      |
| Standard Specifications for Construction | 221.4000  | ROCK SLOPE STABILIZATION DRAIN   | LINEAR FOOT      |
| Standard Specifications for Construction | 221.5000  | ROCK SLOPE STABILIZATION NAIL  | LINEAR FOOT      |
| Standard Specifications for Construction | 221.6000  | ROCK SLOPE STABILIZATION SHOTCRETE   | CUBIC YARD       |
| Standard Specifications for Construction | 225.0300  | RETAINING WALL, CAST-IN-PLACE CONCRETE   | LUMP SUM         |
| Standard Specifications for Construction | 225.0400  | RETAINING WALL, PRECAST CONCRETE   | LUMP SUM         |
| Standard Specifications for Construction | 225.0500  | RETAINING WALL, CONCRETE   | LUMP SUM         |
| Standard Specifications for Construction | 227.0100  | RETAINING WALL, MECHANICALLY STABILIZED EARTH  | LUMP SUM         |
| Standard Specifications for Construction | 230.0010  | DISPOSAL OF CONTAMINATED MATERIALS (N.A.B.I.)  | DOLLAR           |
| Standard Specifications for Construction | 230.0020  | REUSE OF CONTAMINATED MATERIALS  | CUBIC YARD       |
| Standard Specifications for Construction | 230.0030  | PROJECT OPERATIONS PLAN  | LUMP SUM         |
| Standard Specifications for Construction | 230.0040  | PROJECT OPERATIONS COMPLETION REPORT   | LUMP SUM         |
| Standard Specifications for Construction | 230.0050  | ENVIRONMENTAL OVERSIGHT  | HOUR             |
| Standard Specifications for Construction | 230.0060  | MANAGEMENT OF CONTAMINATED GROUNDWATER   | LUMP SUM         |
| Standard Specifications for Construction | 230.0070  | MANAGEMENT OF CONTAMINATED GROUNDWATER   | THOUSAND GALLONS |
| Standard Specifications for Construction | 240.0100  | TEMPORARY ACCESS ROAD  | LUMP SUM         |
| Standard Specifications for Construction | 240.0100001   | TEMPORARY COVER PAVEMENT   | TON              |
| Standard Specifications for Construction | 240.0100002   | TEMPORARY ROADWAY WIDENING   | LUMP SUM         |
| Standard Specifications for Construction | 240.0100003   | TEMPORARY TRAFFIC DIVERSION  | LUMP SUM         |
| Standard Specifications for Construction | 240.0100004   | DIVIDED HIGHWAY CROSSOVER  | LUMP SUM         |
| Standard Specifications for Construction | 240.0200  | TEMPORARY CAUSEWAY   | LUMP SUM         |
|  | for Construction Standard Specifications for Construction | for Construction Standard Specifications for Construction Standard Specificati | Inconstruction   |

| 2024 | Standard Specifications for Construction | 240.0300    | TEMPORARY RAILROAD ACCESS                      | LUMP SUM      |
|------|--|-------------|--|---------------|
| 2024 | Standard Specifications for Construction | 248.5000    | INSTRUMENTATION AND MONITORING PLAN            | LUMP SUM      |
| 2024 | Standard Specifications for Construction | 248.5100    | SLOPE INCLINOMETER                             | LINEAR FOOT   |
| 2024 | Standard Specifications for Construction | 248.5200    | OBSERVATION WELL                               | LINEAR FOOT   |
| 2024 | Standard Specifications for Construction | 248.5300    | SHAPE ARRAY INSTRUMENT                         | EACH          |
| 2024 | Standard Specifications for Construction | 248.5400    | TILTMETER                                      | EACH          |
| 2024 | Standard Specifications for Construction | 248.5501    | SETTLEMENT PLATFORM, TYPE I                    | EACH          |
| 2024 | Standard Specifications for Construction | 248.5502    | SETTLEMENT PLATFORM, TYPE II                   | EACH          |
| 2024 | Standard Specifications for Construction | 248.5603    | PIEZOMETER, TYPE III                           | EACH          |
| 2024 | Standard Specifications for Construction | 248.5700    | DATALOGGER                                     | EACH          |
| 2024 | Standard Specifications for Construction | 248.5800    | PRESSURE CELL                                  | EACH          |
| 2024 | Standard Specifications for Construction | 250.0100    | CONSTRUCTION VIBRATION AND CRACK<br>MONITORING | LUMP SUM      |
| 2024 | Standard Specifications for Construction | 301.1500    | SUBBASE OF GRAVEL                              | CUBIC YARD    |
| 2024 | Standard Specifications for Construction | 301.2500    | SUBBASE OF CRUSHED GRAVEL, COARSE GRADED       | CUBIC YARD    |
| 2024 | Standard Specifications for Construction | 301.2600    | SUBBASE OF CRUSHED GRAVEL, FINE GRADED         | CUBIC YARD    |
| 2024 | Standard Specifications for Construction | 301.2800    | SUBBASE OF CRUSHED GRAVEL, FINE GRADED         | TON           |
| 2024 | Standard Specifications for Construction | 301.3500    | SUBBASE OF DENSE GRADED CRUSHED STONE          | CUBIC YARD    |
| 2024 | Standard Specifications for Construction | 301.4000    | SUBBASE, RAP                                   | TON           |
| 2024 | Standard Specifications for Construction | 310.0100    | FULL DEPTH RECLAMATION                         | SQUARE YARD   |
| 2024 | Standard Specifications for Construction | 311.0100    | FULL DEPTH RECLAMATION, CALCIUM CHLORIDE       | SQUARE YARD   |
| 2024 | Standard Specifications for Construction | 311.5100    | CALCIUM CHLORIDE FOR FDR, CALCIUM<br>CHLORIDE  | GALLON        |
| 2024 | Standard Specifications for Construction | 312.0100    | FULL DEPTH RECLAMATION, EMULSION               | SQUARE YARD   |
| 2024 | Standard Specifications for Construction | 312.0100001 | FULL DEPTH RECLAMATION, CEMENT                 | SQUARE YARD   |
| 2024 | Standard Specifications for Construction | 312.5100    | EMULSIFIED ASPHALT FOR FDR, EMULSION           | HUNDREDWEIGHT |
| 2024 | Standard Specifications for Construction | 312.5100001 | PORTLAND CEMENT FOR FDR, CEMENT                | TON           |
| 2024 | Standard Specifications for Construction | 312.5200    | PORTLAND CEMENT FOR FDR, EMULSION              | TON           |
| 2024 | Standard Specifications for Construction | 312.5200001 | SUPPLEMENTAL AGGREGATE FOR FDR, CEMENT         | TON           |
| 2024 | Standard Specifications for Construction | 401.1000    | AGGREGATE SURFACE COURSE                       | CUBIC YARD    |
| 2024 | Standard Specifications for Construction | 401.1500    | AGGREGATE SURFACE COURSE, PATHS AND TRAILS     | CUBIC YARD    |
| 2024 | Standard Specifications for Construction | 402.1200    | AGGREGATE SHOULDERS                            | TON           |
| 2024 | Standard Specifications for Construction | 402.1300    | AGGREGATE SHOULDERS, RAP                       | TON           |
|      |  |             |  |               |

| 2024 | Standard Specifications for Construction | 404.1100 | TACK COAT, EMULSIFIED ASPHALT                               | HUNDREDWEIGHT |
|------|--|----------|---|---------------|
| 2024 | Standard Specifications for Construction | 404.1200 | TACK COAT, POLYMER-MODIFIED EMULSIFIED ASPHALT              | HUNDREDWEIGHT |
| 2024 | Standard Specifications for Construction | 404.3100 | FOG SEAL, EMULSIFIED ASPHALT                                | HUNDREDWEIGHT |
| 2024 | Standard Specifications for Construction | 404.5100 | SEAL COAT, EMULSIFIED ASPHALT                               | HUNDREDWEIGHT |
| 2024 | Standard Specifications for Construction | 404.8100 | COVER MATERIAL, SAND  | POUND         |
| 2024 | Standard Specifications for Construction | 406.0110 | BITUMINOUS CONCRETE PAVEMENT, TYPE IS, QA<br>TIER I         | TON           |
| 2024 | Standard Specifications for Construction | 406.0120 | BITUMINOUS CONCRETE PAVEMENT, TYPE IS, QA<br>TIER II        | TON           |
| 2024 | Standard Specifications for Construction | 406.0130 | BITUMINOUS CONCRETE PAVEMENT, TYPE IS, QA<br>TIER III       | TON           |
| 2024 | Standard Specifications for Construction | 406.0210 | BITUMINOUS CONCRETE PAVEMENT, TYPE IIS, QA<br>TIER I        | TON           |
| 2024 | Standard Specifications for Construction | 406.0220 | BITUMINOUS CONCRETE PAVEMENT, TYPE IIS, QA<br>TIER II       | TON           |
| 2024 | Standard Specifications for Construction | 406.0230 | BITUMINOUS CONCRETE PAVEMENT, TYPE IIS, QA<br>TIER III      | TON           |
| 2024 | Standard Specifications for Construction | 406.0310 | BITUMINOUS CONCRETE PAVEMENT, TYPE IIIS,<br>QA TIER I       | TON           |
| 2024 | Standard Specifications for Construction | 406.0320 | BITUMINOUS CONCRETE PAVEMENT, TYPE IIIS,<br>QA TIER II      | TON           |
| 2024 | Standard Specifications for Construction | 406.0330 | BITUMINOUS CONCRETE PAVEMENT, TYPE IIIS,<br>QA TIER III     | TON           |
| 2024 | Standard Specifications for Construction | 406.0410 | BITUMINOUS CONCRETE PAVEMENT, TYPE IVS,<br>QA TIER I        | TON           |
| 2024 | Standard Specifications for Construction | 406.0420 | BITUMINOUS CONCRETE PAVEMENT, TYPE IVS,<br>QA TIER II       | TON           |
| 2024 | Standard Specifications for Construction | 406.0430 | BITUMINOUS CONCRETE PAVEMENT, TYPE IVS,<br>QA TIER III      | TON           |
| 2024 | Standard Specifications for Construction | 406.1410 | BITUMINOUS CONCRETE PAVEMENT, TYPE IVSB,<br>QA TIER I       | TON           |
| 2024 | Standard Specifications for Construction | 406.1420 | BITUMINOUS CONCRETE PAVEMENT, TYPE IVSB,<br>QA TIER II      | TON           |
| 2024 | Standard Specifications for Construction | 406.1430 | BITUMINOUS CONCRETE PAVEMENT, TYPE IVSB,<br>QA TIER III     | TON           |
| 2024 | Standard Specifications for Construction | 406.2400 | BITUMINOUS CONCRETE PAVEMENT, SURFACE PREPARATION, TYPE IVS | TON           |
| 2024 | Standard Specifications for Construction | 406.3400 | BITUMINOUS CONCRETE PAVEMENT, NON-PAVER PLACED, TYPE IVS    | SQUARE YARD   |
| 2024 | Standard Specifications for Construction | 406.9100 | PAY ADJUSTMENT, BCP, MIXTURE PROPERTIES (N.A.B.I.)          | DOLLAR        |
| 2024 | Standard Specifications for Construction | 406.9200 | PAY ADJUSTMENT, BCP, MAT DENSITY (N.A.B.I.)                 | DOLLAR        |
| 2024 | Standard Specifications for Construction | 406.9300 | PAY ADJUSTMENT, BCP, LONGITUDINAL JOINT DENSITY (N.A.B.I.)  | DOLLAR        |
| 2024 | Standard Specifications for Construction | 406.9400 | PAY ADJUSTMENT, BCP, PAVEMENT ROUGHNESS (N.A.B.I.)          | DOLLAR        |
| 2024 | Standard Specifications for Construction | 407.0100 | BONDED WEARING COURSE, TYPE A                               | SQUARE YARD   |
| 2024 | Standard Specifications for Construction | 407.0200 | BONDED WEARING COURSE, TYPE B                               | SQUARE YARD   |
| 2024 | Standard Specifications for Construction | 407.0300 | BONDED WEARING COURSE, TYPE C                               | SQUARE YARD   |
| 2024 | Standard Specifications for Construction | 407.9100 | PAY ADJUSTMENT, BWC, MIXTURE PROPERTIES (N.A.B.I.)          | DOLLAR        |
| 2024 | Standard Specifications for Construction | 410.1000 | MATERIAL TRANSFER VEHICLE                                   | TON           |
| 2024 | Standard Specifications                  | 410.1000 |   | TON           |

| 2024 | Standard Specifications for Construction | 413.0100 | HOT IN-PLACE RECYCLING                          | SQUARE YARD   |
|------|--|----------|---|---------------|
| 2024 | Standard Specifications for Construction | 414.0200 | COLD IN-PLACE RECYCLING, 2 INCH DEPTH           | SQUARE YARD   |
| 2024 | Standard Specifications for Construction | 414.0250 | COLD IN-PLACE RECYCLING, 2.5 INCH DEPTH         | SQUARE YARD   |
| 2024 | Standard Specifications for Construction | 414.0300 | COLD IN-PLACE RECYCLING, 3 INCH DEPTH           | SQUARE YARD   |
| 2024 | Standard Specifications for Construction | 414.0350 | COLD IN-PLACE RECYCLING, 3.5 INCH DEPTH         | SQUARE YARD   |
| 2024 | Standard Specifications for Construction | 414.0400 | COLD IN-PLACE RECYCLING, 4 INCH DEPTH           | SQUARE YARD   |
| 2024 | Standard Specifications for Construction | 414.0450 | COLD IN-PLACE RECYCLING, 4.5 INCH DEPTH         | SQUARE YARD   |
| 2024 | Standard Specifications for Construction | 414.0500 | COLD IN-PLACE RECYCLING, 5 INCH DEPTH           | SQUARE YARD   |
| 2024 | Standard Specifications for Construction | 414.5100 | AGGREGATE FOR CIR                               | TON           |
| 2024 | Standard Specifications for Construction | 414.5200 | PORTLAND CEMENT FOR CIR                         | TON           |
| 2024 | Standard Specifications for Construction | 414.5300 | EMULSIFIED ASPHALT FOR CIR                      | HUNDREDWEIGHT |
| 2024 | Standard Specifications for Construction | 414.5400 | FOAMED ASPHALT FOR CIR                          | HUNDREDWEIGHT |
| 2024 | Standard Specifications for Construction | 415.0200 | COLD CENTRAL PLANT RECYCLING, 2 INCH<br>DEPTH   | SQUARE YARD   |
| 2024 | Standard Specifications for Construction | 415.0250 | COLD CENTRAL PLANT RECYCLING, 2.5 INCH DEPTH    | SQUARE YARD   |
| 2024 | Standard Specifications for Construction | 415.0300 | COLD CENTRAL PLANT RECYCLING, 3 INCH<br>DEPTH   | SQUARE YARD   |
| 2024 | Standard Specifications for Construction | 415.0350 | COLD CENTRAL PLANT RECYCLING, 3.5 INCH DEPTH    | SQUARE YARD   |
| 2024 | Standard Specifications for Construction | 415.0400 | COLD CENTRAL PLANT RECYCLING, 4 INCH<br>DEPTH   | SQUARE YARD   |
| 2024 | Standard Specifications for Construction | 415.0450 | COLD CENTRAL PLANT RECYCLING, 4.5 INCH<br>DEPTH | SQUARE YARD   |
| 2024 | Standard Specifications for Construction | 415.0500 | COLD CENTRAL PLANT RECYCLING, 5 INCH<br>DEPTH   | SQUARE YARD   |
| 2024 | Standard Specifications for Construction | 415.5100 | AGGREGATE FOR CCPR                              | TON           |
| 2024 | Standard Specifications for Construction | 415.5200 | PORTLAND CEMENT FOR CCPR                        | TON           |
| 2024 | Standard Specifications for Construction | 415.5300 | EMULSIFIED ASPHALT FOR CCPR                     | HUNDREDWEIGHT |
| 2024 | Standard Specifications for Construction | 415.5400 | FOAMED ASPHALT FOR CCPR                         | HUNDREDWEIGHT |
| 2024 | Standard Specifications for Construction | 417.1000 | BITUMINOUS CRACK SEALING                        | POUND         |
| 2024 | Standard Specifications for Construction | 417.2000 | BITUMINOUS CRACK SEALING, "BLOW AND GO" METHOD  | POUND         |
| 2024 | Standard Specifications for Construction | 418.1000 | ASPHALTIC APPROACH MATERIAL                     | SQUARE FOOT   |
| 2024 | Standard Specifications for Construction | 501.3700 | PERFORMANCE-BASED CONCRETE, CLASS PCD           | CUBIC YARD    |
| 2024 | Standard Specifications for Construction | 501.3800 | PERFORMANCE-BASED CONCRETE, CLASS PCS           | CUBIC YARD    |
| 2024 | Standard Specifications for Construction | 501.3900 | PERFORMANCE-BASED CONCRETE, CLASS SCC           | CUBIC YARD    |
| 2024 | Standard Specifications for Construction | 502.1000 | SHORING SUPERSTRUCTURE                          | LUMP SUM      |
| 2024 | Standard Specifications for Construction | 502.1100 | SHORING SUPERSTRUCTURE BEARINGS                 | EACH          |
| 2024 | Standard Specifications                  | 502.1100 | SHORING SUPERSTRUCTURE BEARINGS                 | EACH          |

| Standard Specifications                     |   |  |  |
|---|---|--|--|
| for Construction                            | 503.1000  | DRILLED SHAFT IN EARTH   | LINEAR FOOT  |
| Standard Specifications for Construction    | 503.1500  | DRILLED SHAFT IN ROCK  | LINEAR FOOT  |
| Standard Specifications for Construction    | 503.2000  | DRILLED SHAFT OBSTRUCTION DRILLING AND REMOVAL   | LINEAR FOOT  |
| Standard Specifications<br>for Construction | 503.2500  | MOBILIZATION OF DRILLED SHAFT EQUIPMENT  | LUMP SUM   |
| Standard Specifications for Construction    | 504.1000  | FURNISHING EQUIPMENT FOR DRIVING PILING  | LUMP SUM   |
| Standard Specifications for Construction    | 505.1000  | STEEL PILING, HP 10 × 42   | LINEAR FOOT  |
| Standard Specifications for Construction    | 505.1200  | STEEL PILING, HP 10 × 57   | LINEAR FOOT  |
| Standard Specifications for Construction    | 505.1500  | STEEL PILING, HP 12 × 53   | LINEAR FOOT  |
| Standard Specifications for Construction    | 505.1550  | STEEL PILING, HP 12 × 63   | LINEAR FOOT  |
| Standard Specifications for Construction    | 505.1600  | STEEL PILING, HP 12 × 74   | LINEAR FOOT  |
| Standard Specifications for Construction    | 505.1650  | STEEL PILING, HP 12 × 84   | LINEAR FOOT  |
| Standard Specifications for Construction    | 505.1700  | STEEL PILING, HP 14 × 73   | LINEAR FOOT  |
| Standard Specifications for Construction    | 505.1800  | STEEL PILING, HP 14 × 89   | LINEAR FOOT  |
| Standard Specifications for Construction    | 505.1900  | STEEL PILING, HP 14 × 102  | LINEAR FOOT  |
| Standard Specifications for Construction    | 505.2000  | STEEL PILING, HP 14 × 117  | LINEAR FOOT  |
| Standard Specifications for Construction    | 505.3500  | PERMANENT STEEL SHEET PILING   | SQUARE FOOT  |
| Standard Specifications for Construction    | 505.4500  | DYNAMIC PILE LOADING TEST  | EACH   |
| Standard Specifications for Construction    | 506.5000  | STRUCTURAL STEEL, ROLLED BEAM  | POUND  |
| Standard Specifications for Construction    | 506.5500  | STRUCTURAL STEEL, PLATE GIRDER   | POUND  |
| Standard Specifications for Construction    | 506.5600  | STRUCTURAL STEEL, CURVED PLATE GIRDER  | POUND  |
| Standard Specifications for Construction    | 506.5700  | STRUCTURAL STEEL, TRUSS  | POUND  |
| Standard Specifications for Construction    | 506.6000  | STRUCTURAL STEEL   | POUND  |
| Standard Specifications for Construction    | 506.7500  | STRUCTURAL STEEL   | LUMP SUM   |
| Standard Specifications for Construction    | 506.8500  | RIVET REPLACEMENT  | EACH   |
| Standard Specifications for Construction    | 507.1100  | REINFORCING STEEL, LEVEL I   | POUND  |
| Standard Specifications for Construction    | 507.1200  | REINFORCING STEEL, LEVEL II  | POUND  |
| Standard Specifications for Construction    | 507.1300  | REINFORCING STEEL, LEVEL III   | POUND  |
| Standard Specifications for Construction    | 507.1600  | DRILLING AND GROUTING DOWELS   | LINEAR FOOT  |
| Standard Specifications for Construction    | 507.1900  | MECHANICAL BAR CONNECTOR   | EACH   |
| Standard Specifications for Construction    | 508.1500  | SHEAR CONNECTORS   | LUMP SUM   |
| Standard Specifications for Construction    | 509.1500  | CONCRETE BRIDGE DECK SURFACE<br>PREPARATION  | SQUARE FOOT  |
|   | Standard Specifications for Construction | Standard Specifications for Construction Standard Specifications for Construct | Standard Specifications   For Construction   Standard Specifications   Standard Specifications |

| 2024 | Standard Specifications for Construction | 510.2100    | PRESTRESSED CONCRETE BOX BEAMS                              | LINEAR FOOT             |
|------|--|-------------|---|-------------------------|
| 2024 | Standard Specifications for Construction | 510.2200    | PRESTRESSED CONCRETE VOIDED SLABS                           | LINEAR FOOT             |
| 2024 | Standard Specifications for Construction | 510.2300    | PRESTRESSED CONCRETE GIRDERS                                | LINEAR FOOT             |
| 2024 | Standard Specifications for Construction | 510.2400    | GROUTING SHEAR KEYS   | LINEAR FOOT             |
| 2024 | Standard Specifications for Construction | 510.2500    | PRESTRESSED CONCRETE SOLID SLABS                            | LINEAR FOOT             |
| 2024 | Standard Specifications for Construction | 510.2600    | PRESTRESSED CONCRETE NEXT D BEAMS                           | LINEAR FOOT             |
| 2024 | Standard Specifications for Construction | 510.4000    | PRESTRESSED CONCRETE DECK PANELS                            | SQUARE FOOT             |
| 2024 | Standard Specifications for Construction | 511.1001    | REMOVAL, CONTAINMENT, AND DISPOSAL OF<br>LEAD PAINT, TYPE I | LUMP SUM                |
| 2024 | Standard Specifications for Construction | 511.1002    | REMOVAL, CONTAINMENT, AND DISPOSAL OF LEAD PAINT, TYPE II   | LUMP SUM                |
| 2024 | Standard Specifications for Construction | 513.1030    | FIELD PAINTING STEEL, THREE COAT SYSTEM                     | LUMP SUM                |
| 2024 | Standard Specifications for Construction | 514.1000    | WATER REPELLENT, SILANE                                     | GALLON                  |
| 2024 | Standard Specifications for Construction | 516.1000    | BRIDGE EXPANSION JOINT, ASPHALTIC PLUG                      | LINEAR FOOT             |
| 2024 | Standard Specifications for Construction | 516.1000001 | BRIDGE EXPANSION JOINT, PRE-COMPRESSED                      | LINEAR FOOT             |
| 2024 | Standard Specifications for Construction | 516.1100    | BRIDGE EXPANSION JOINT, VERMONT                             | LINEAR FOOT             |
| 2024 | Standard Specifications for Construction | 516.1200    | BRIDGE EXPANSION JOINT, FINGER PLATE                        | LINEAR FOOT             |
| 2024 | Standard Specifications for Construction | 516.2000    | PARTIAL REMOVAL AND MODIFICATION OF BRIDGE JOINT            | LINEAR FOOT             |
| 2024 | Standard Specifications for Construction | 519.1000    | MEMBRANE WATERPROOFING, SPRAY APPLIED                       | SQUARE YARD             |
| 2024 | Standard Specifications for Construction | 519.2000    | MEMBRANE WATERPROOFING, TORCH APPLIED SHEET                 | SQUARE YARD             |
| 2024 | Standard Specifications for Construction | 522.2000    | STRUCTURAL LUMBER AND TIMBER, UNTREATED                     | 1000 FEET BOARD MEASURE |
| 2024 | Standard Specifications for Construction | 522.2500    | STRUCTURAL LUMBER AND TIMBER, TREATED                       | 1000 FEET BOARD MEASURE |
| 2024 | Standard Specifications for Construction | 522.3000    | NONSTRUCTURAL LUMBER, UNTREATED                             | 1000 FEET BOARD MEASURE |
| 2024 | Standard Specifications for Construction | 522.3500    | NONSTRUCTURAL LUMBER, TREATED                               | 1000 FEET BOARD MEASURE |
| 2024 | Standard Specifications for Construction | 522.4000    | STRUCTURAL GLUED LAMINATED TIMBER                           | 1000 FEET BOARD MEASURE |
| 2024 | Standard Specifications for Construction | 524.1100    | JOINT SEALER, HOT POURED                                    | LINEAR FOOT             |
| 2024 | Standard Specifications for Construction | 524.1300    | JOINT SEALER, COLD POURED                                   | LINEAR FOOT             |
| 2024 | Standard Specifications for Construction | 524.2100    | JOINT SEALER, POLYURETHANE                                  | LINEAR FOOT             |
| 2024 | Standard Specifications for Construction | 525.1000    | REMOVAL OF EXISTING BRIDGE RAILING                          | LINEAR FOOT             |
| 2024 | Standard Specifications for Construction | 525.1100    | RESET EXISTING BRIDGE RAILING                               | LINEAR FOOT             |
| 2024 | Standard Specifications for Construction | 525.1210    | BRIDGE RAILING REPAIR, HDSB, TYPE I                         | LINEAR FOOT             |
| 2024 | Standard Specifications for Construction | 525.1220    | BRIDGE RAILING REPAIR, HDSB, TYPE II                        | LINEAR FOOT             |
| 2024 | Standard Specifications for Construction | 525.1230    | BRIDGE RAILING REPAIR, HDSB, TYPE III                       | LINEAR FOOT             |
|      |  |             |   |                         |

| 2024 | Standard Specifications for Construction | 525.1310    | BRIDGE RAILING REPAIR, BOX BEAM, TYPE I                        | LINEAR FOOT |
|------|--|-------------|--|-------------|
| 2024 | Standard Specifications for Construction | 525.1320    | BRIDGE RAILING REPAIR, BOX BEAM, TYPE II                       | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 525.1330    | BRIDGE RAILING REPAIR, BOX BEAM, TYPE III                      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 525.3000    | BRIDGE RAILING, FASCIA MOUNTED                                 | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 525.3120    | BRIDGE RAILING, GALVANIZED 2 RAIL BOX BEAM                     | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 525.3130    | BRIDGE RAILING, GALVANIZED 3 RAIL BOX BEAM                     | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 525.3140    | BRIDGE RAILING, GALVANIZED 4 RAIL BOX BEAM                     | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 525.3230    | BRIDGE RAILING, GALVANIZED 3 RAIL BOX<br>BEAM, CURBLESS        | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 525.4030    | BRIDGE RAILING, ALUMINUM 3 RAIL                                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 525.4130    | BRIDGE RAILING, ALUMINUM 3 RAIL,<br>PEDESTRIAN                 | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 525.4400    | BRIDGE RAILING, GALVANIZED HDSB/FASCIA<br>MOUNTED/STEEL TUBING | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 525.5000    | BRIDGE RAILING, GALVANIZED STEEL TUBING/CONCRETE COMBINATION   | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 525.5100    | BRIDGE RAILING, GALV. STEEL HAND RAIL/CONC. PARAPET COMB.      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 525.5200    | BRIDGE RAILING, TEXAS RAIL WITH WINDOWS                        | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 525.5210    | BRIDGE RAILING, TEXAS RAIL WITHOUT WINDOWS                     | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 525.5300    | BRIDGE RAILING, CONCRETE F-SHAPE                               | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 525.5400    | BRIDGE RAILING, CONCRETE SINGLE SLOPE                          | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 525.5400001 | CONCRETE SINGLE SLOPE BARRIER                                  | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 525.5500    | BRIDGE RAILING, CONCRETE VERTICAL FACE                         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 525.6100    | BRIDGE RAILING, METAL TRUSS BRIDGE                             | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 525.6200    | BRIDGE RAILING, COVERED BRIDGE                                 | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 527.1000    | MAINTENANCE OF STRUCTURES AND APPROACHES                       | LUMP SUM    |
| 2024 | Standard Specifications for Construction | 527.1000001 | MAINTENANCE OF STRUCTURES AND APPROACHES (N.A.B.I.)            | DOLLAR      |
| 2024 | Standard Specifications for Construction | 527.1000002 | LOCAL ROADWAY MAINTENANCE (N.A.B.I.)                           | DOLLAR      |
| 2024 | Standard Specifications for Construction | 528.1000    | ONE LANE TEMPORARY BRIDGE                                      | LUMP SUM    |
| 2024 | Standard Specifications for Construction | 528.1100    | TWO LANE TEMPORARY BRIDGE                                      | LUMP SUM    |
| 2024 | Standard Specifications for Construction | 528.1200    | TEMPORARY PEDESTRIAN BRIDGE                                    | LUMP SUM    |
| 2024 | Standard Specifications for Construction | 529.1000    | REMOVAL OF BRIDGE PAVEMENT                                     | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 529.1500    | REMOVAL OF STRUCTURE   | EACH        |
| 2024 | Standard Specifications for Construction | 529.2000    | PARTIAL REMOVAL OF STRUCTURE                                   | EACH        |
| 2024 | Standard Specifications for Construction | 529.2500    | REMOVAL OF CONCRETE OR MASONRY                                 | CUBIC YARD  |

| 2024 | Standard Specifications for Construction | 529.2600 | REMOVAL OF CONCRETE OR MASONRY                              | SQUARE YARD |
|------|--|----------|---|-------------|
| 2024 | Standard Specifications for Construction | 531.1500 | BEARING DEVICE ASSEMBLY, HIGH LOAD MULTI-<br>ROTATIONAL     | EACH        |
| 2024 | Standard Specifications for Construction | 531.1600 | BEARING DEVICE ASSEMBLY, PLAIN<br>ELASTOMERIC PAD           | EACH        |
| 2024 | Standard Specifications for Construction | 531.1700 |   | EACH        |
| 2024 | Standard Specifications for Construction | 531.1800 | BEARING DEVICE ASSEMBLY, ELASTOMERIC PAD W/EXT. LOAD PLATES | EACH        |
| 2024 | Standard Specifications for Construction | 531.1900 | REMOVE AND REPLACE EXISTING ANCHOR BOLT                     | EACH        |
| 2024 | Standard Specifications for Construction | 540.1000 | PRECAST CONCRETE STRUCTURE                                  | LUMP SUM    |
| 2024 | Standard Specifications for Construction | 540.1500 | PRECAST CONCRETE STRUCTURE                                  | EACH        |
| 2024 | Standard Specifications for Construction | 540.2000 | PRECAST CONCRETE DECK PANELS                                | SQUARE FOOT |
| 2024 | Standard Specifications for Construction | 541.1000 | CONCRETE, CLASS HPAA  | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 541.1100 | CONCRETE, CLASS HPA   | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 541.1200 | CONCRETE, CLASS HPB   | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 541.2000 | CONCRETE, CLASS AA  | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 541.2100 | CONCRETE, CLASS A   | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 541.2200 | CONCRETE, CLASS B   | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 541.2300 | CONCRETE, CLASS C   | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 541.2400 | CONCRETE, CLASS D   | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 541.2800 | CONCRETE, CLASS SCC   | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 541.2900 | CONCRETE, CLASS LW  | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 541.4500 | FLOWABLE FILL   | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 541.4600 | FLOWABLE FILL, EXCAVATABLE                                  | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 541.5100 | MORTAR, TYPE I  | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 541.5400 | MORTAR, TYPE IV   | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 542.1000 | HIGH PERFORMANCE CONCRETE, RAPID SET                        | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 543.1000 | CONTRACTOR-FABRICATED PRECAST CONCRETE STRUCTURE            | LUMP SUM    |
| 2024 | Standard Specifications for Construction | 543.1500 | CONTRACTOR-FABRICATED PRECAST CONCRETE STRUCTURE            | EACH        |
| 2024 | Standard Specifications for Construction | 544.1000 | PREFABRICATED BRIDGE UNIT SUPERSTRUCTURE                    | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 546.1000 | PRE-EXCAVATION OF ABUTMENT PILES, EARTH                     | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 546.2000 | PRE-EXCAVATION OF ABUTMENT PILES, ROCK                      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 551.1000 | PUBLIC PROTECTION FOR BRIDGE PROJECTS                       | LUMP SUM    |
| 2024 | Standard Specifications for Construction | 555.1000 | CSSP BURIED BRIDGE, CIRCULAR PIPE                           | LUMP SUM    |
|      |  |          |   |             |

| 2024 | Standard Specifications for Construction | 555.2000 | CSSP BURIED BRIDGE, ELLIPTICAL PIPE                    | LUMP SUM    |
|------|--|----------|--|-------------|
| 2024 | Standard Specifications for Construction | 555.3000 | CSSP BURIED BRIDGE, PIPE ARCH                          | LUMP SUM    |
| 2024 | Standard Specifications for Construction | 555.4000 | CSSP BURIED BRIDGE, ARCH                               | LUMP SUM    |
| 2024 | Standard Specifications for Construction | 580.1001 | REPAIR OF CONCRETE SUPERSTRUCTURE<br>SURFACE, CLASS I  | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 580.1002 | REPAIR OF CONCRETE SUPERSTRUCTURE<br>SURFACE, CLASS II | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 580.1003 | REPAIR OF CONCRETE SUPERSTRUCTURE SURFACE, CLASS III   | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 580.1101 | REPAIR OF CONCRETE SUBSTRUCTURE SURFACE, CLASS I       | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 580.1102 | REPAIR OF CONCRETE SUBSTRUCTURE SURFACE, CLASS II      | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 580.1103 | REPAIR OF CONCRETE SUBSTRUCTURE SURFACE, CLASS III     | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 580.1201 | CONCRETE REPAIR MATERIAL, TYPE I                       | CUBIC FOOT  |
| 2024 | Standard Specifications for Construction | 580.1202 | CONCRETE REPAIR MATERIAL, TYPE II                      | CUBIC FOOT  |
| 2024 | Standard Specifications for Construction | 580.1203 | CONCRETE REPAIR MATERIAL, TYPE III                     | CUBIC FOOT  |
| 2024 | Standard Specifications for Construction | 580.1204 | CONCRETE REPAIR MATERIAL, TYPE IV                      | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 580.1600 | SURFACE PREPARATION FOR MEMBRANE                       | SQUARE FOOT |
| 2024 | Standard Specifications for Construction | 590.0010 | BUS SHELTER  | EACH        |
| 2024 | Standard Specifications for Construction | 601.0005 | 12 INCH CSP .064 (2-2/3 × 1/2)                         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.0010 | 15 INCH CSP .064 (2-2/3 × 1/2)                         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.0011 | 15 INCH CSP .079 (2-2/3 × 1/2)                         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.0015 | 18 INCH CSP .064 (2-2/3 × 1/2)                         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.0016 | 18 INCH CSP .079 (2-2/3 × 1/2)                         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.0025 | 24 INCH CSP .064 (2-2/3 × 1/2)                         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.0036 | 30 INCH CSP .079 (2-2/3 × 1/2)                         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.0046 | 36 INCH CSP .079 (2-2/3 × 1/2)                         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.0052 | 42 INCH CSP .109 (2-2/3 × 1/2)                         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.0057 | 48 INCH CSP .109 (2-2/3 × 1/2)                         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.0068 | 60 INCH CSP .138 (2-2/3 × 1/2)                         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.0132 | 60 INCH CSP .109 (3 × 1)                               | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.0205 | 12 INCH CAAP .060 (2-2/3 × 1/2)                        | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.0210 | 15 INCH CAAP .060 (2-2/3 × 1/2)                        | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.0211 | 15 INCH CAAP .075 (2-2/3 × 1/2)                        | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.0215 | 18 INCH CAAP .060 (2-2/3 × 1/2)                        | LINEAR FOOT |

| Standard Specifications for Construction Standard Specifications | 601.0216   | 18 INCH CAAP .075 (2-2/3 × 1/2)  | LINEAR FOOT                              |
|--|--|--|--|
| Standard Specifications  |  |  |  |
| for Construction   | 601.0217   | 18 INCH CAAP .105 (2-2/3 × 1/2)  | LINEAR FOOT                              |
| Standard Specifications for Construction                         | 601.0225   | 24 INCH CAAP .060 (2-2/3 × 1/2)  | LINEAR FOOT                              |
| Standard Specifications for Construction                         | 601.0226   | 24 INCH CAAP .075 (2-2/3 × 1/2)  | LINEAR FOOT                              |
| Standard Specifications for Construction                         | 601.0227   | 24 INCH CAAP .105 (2-2/3 × 1/2)  | LINEAR FOOT                              |
| Standard Specifications for Construction                         | 601.0236   | 30 INCH CAAP .075 (2-2/3 × 1/2)  | LINEAR FOOT                              |
| Standard Specifications for Construction                         | 601.0237   | 30 INCH CAAP .105 (2-2/3 × 1/2)  | LINEAR FOOT                              |
| Standard Specifications for Construction                         | 601.0246   | 36 INCH CAAP .075 (2-2/3 × 1/2)  | LINEAR FOOT                              |
| Standard Specifications for Construction                         | 601.0252   | 42 INCH CAAP .105 (2-2/3 × 1/2)  | LINEAR FOOT                              |
| Standard Specifications for Construction                         | 601.0257   | 48 INCH CAAP .105 (2-2/3 × 1/2)  | LINEAR FOOT                              |
| Standard Specifications for Construction                         | 601.0262   | 54 INCH CAAP .105 (2-2/3 × 1/2)  | LINEAR FOOT                              |
| Standard Specifications for Construction                         | 601.0268   | 60 INCH CAAP .135 (2-2/3 × 1/2)  | LINEAR FOOT                              |
| Standard Specifications for Construction                         | 601.0305   | 30 INCH CAAP .060 (3 × 1)  | LINEAR FOOT                              |
| Standard Specifications for Construction                         | 601.0306   | 30 INCH CAAP .075 (3 × 1)  | LINEAR FOOT                              |
| Standard Specifications for Construction                         | 601.0310   | 36 INCH CAAP .060 (3 × 1)  | LINEAR FOOT                              |
| Standard Specifications for Construction                         | 601.0316   | 42 INCH CAAP .075 (3 × 1)  | LINEAR FOOT                              |
| Standard Specifications for Construction                         | 601.0342   | 72 INCH CAAP .105 (3 × 1)  | LINEAR FOOT                              |
| Standard Specifications for Construction                         | 601.0405   | 12 INCH PCCSP .064 (2-2/3 × 1/2)   | LINEAR FOOT                              |
| Standard Specifications for Construction                         | 601.0410   | 15 INCH PCCSP .064 (2-2/3 × 1/2)   | LINEAR FOOT                              |
| Standard Specifications for Construction                         | 601.0415   | 18 INCH PCCSP .064 (2-2/3 × 1/2)   | LINEAR FOOT                              |
| Standard Specifications for Construction                         | 601.0416   | 18 INCH PCCSP .079 (2-2/3 × 1/2)   | LINEAR FOOT                              |
| Standard Specifications for Construction                         | 601.0425   | 24 INCH PCCSP .064 (2-2/3 × 1/2)   | LINEAR FOOT                              |
| Standard Specifications for Construction                         | 601.0426   | 24 INCH PCCSP .079 (2-2/3 × 1/2)   | LINEAR FOOT                              |
| Standard Specifications for Construction                         | 601.0427   | 24 INCH PCCSP .109 (2-2/3 × 1/2)   | LINEAR FOOT                              |
| Standard Specifications for Construction                         | 601.0436   | 30 INCH PCCSP .079 (2-2/3 × 1/2)   | LINEAR FOOT                              |
| Standard Specifications for Construction                         | 601.0437   | 30 INCH PCCSP .109 (2-2/3 × 1/2)   | LINEAR FOOT                              |
| Standard Specifications for Construction                         | 601.0446   | 36 INCH PCCSP .079 (2-2/3 × 1/2)   | LINEAR FOOT                              |
| Standard Specifications for Construction                         | 601.0447   | 36 INCH PCCSP .109 (2-2/3 × 1/2)   | LINEAR FOOT                              |
| Standard Specifications for Construction                         | 601.0452   | 42 INCH PCCSP .109 (2-2/3 × 1/2)   | LINEAR FOOT                              |
| Standard Specifications for Construction                         | 601.0457   | 48 INCH PCCSP .109 (2-2/3 × 1/2)   | LINEAR FOOT                              |
| TOT COMBITMENTON   |  |  |  |
|  | Standard Specifications for Construction  Standard Specifications for Construction | Standard Specifications for Construction  Standard Specifications for Co | Standard Specifications for Construction |

| Standard Specifications for Construction | 601.0527   | 54 INCH PCCSP .109 (3 × 1)   | LINEAR FOOT  |
|--|--|--|--|
| Standard Specifications for Construction | 601.0542   | 72 INCH PCCSP .109 (3 × 1)   | LINEAR FOOT  |
| Standard Specifications for Construction | 601.0615   | 18 INCH PCCSP(PI) .064 (2-2/3 × 1/2)   | LINEAR FOOT  |
| Standard Specifications for Construction | 601.0625   | 24 INCH PCCSP(PI) .064 (2-2/3 × 1/2)   | LINEAR FOOT  |
| Standard Specifications for Construction | 601.0636   | 30 INCH PCCSP(PI) .079 (2-2/3 × 1/2)   | LINEAR FOOT  |
| Standard Specifications for Construction | 601.0646   | 36 INCH PCCSP(PI) .079 (2-2/3 × 1/2)   | LINEAR FOOT  |
| Standard Specifications for Construction | 601.0657   | 48 INCH PCCSP(PI) .109 (2-2/3 × 1/2)   | LINEAR FOOT  |
| Standard Specifications for Construction | 601.0805   | 12 INCH RCP CLASS III  | LINEAR FOOT  |
| Standard Specifications for Construction | 601.0806   | 12 INCH RCP CLASS IV   | LINEAR FOOT  |
| Standard Specifications for Construction | 601.0810   | 15 INCH RCP CLASS III  | LINEAR FOOT  |
| Standard Specifications for Construction | 601.0811   | 15 INCH RCP CLASS IV   | LINEAR FOOT  |
| Standard Specifications for Construction | 601.0815   | 18 INCH RCP CLASS III  | LINEAR FOOT  |
| Standard Specifications for Construction | 601.0816   | 18 INCH RCP CLASS IV   | LINEAR FOOT  |
| Standard Specifications for Construction | 601.0817   | 18 INCH RCP CLASS V  | LINEAR FOOT  |
| Standard Specifications for Construction | 601.0820   | 21 INCH RCP CLASS III  | LINEAR FOOT  |
| Standard Specifications for Construction | 601.0821   | 21 INCH RCP CLASS IV   | LINEAR FOOT  |
| Standard Specifications for Construction | 601.0825   | 24 INCH RCP CLASS III  | LINEAR FOOT  |
| Standard Specifications for Construction | 601.0826   | 24 INCH RCP CLASS IV   | LINEAR FOOT  |
| Standard Specifications for Construction | 601.0827   | 24 INCH RCP CLASS V  | LINEAR FOOT  |
| Standard Specifications for Construction | 601.0835   | 30 INCH RCP CLASS III  | LINEAR FOOT  |
| Standard Specifications for Construction | 601.0836   | 30 INCH RCP CLASS IV   | LINEAR FOOT  |
| Standard Specifications for Construction | 601.0837   | 30 INCH RCP CLASS V  | LINEAR FOOT  |
| Standard Specifications for Construction | 601.0845   | 36 INCH RCP CLASS III  | LINEAR FOOT  |
| Standard Specifications for Construction | 601.0846   | 36 INCH RCP CLASS IV   | LINEAR FOOT  |
| Standard Specifications for Construction | 601.0850   | 42 INCH RCP CLASS III  | LINEAR FOOT  |
| Standard Specifications for Construction | 601.0855   | 48 INCH RCP CLASS III  | LINEAR FOOT  |
| Standard Specifications for Construction | 601.0866   | 60 INCH RCP CLASS IV   | LINEAR FOOT  |
| Standard Specifications for Construction | 601.0870   | 66 INCH RCP CLASS III  | LINEAR FOOT  |
| Standard Specifications for Construction | 601.0905   | 12 INCH CPEP   | LINEAR FOOT  |
| Standard Specifications for Construction | 601.0910   | 15 INCH CPEP   | LINEAR FOOT  |
| Standard Specifications for Construction | 601.0915   | 18 INCH CPEP   | LINEAR FOOT  |
|  | for Construction  Standard Specifications for Construction | for Construction  Standard Specifications for Construction  Standard Spe | Standard Specifications   Construction   Standard Specifications   Construction   Standard Specifications   Construction   Construction   Standard Specifications   Construction   Const |

| 2024 | Standard Specifications for Construction | 601.0920 | 24 INCH CPEP                                    | LINEAR FOOT |
|------|--|----------|---|-------------|
| 2024 | Standard Specifications for Construction | 601.2603 | 8 INCH CPEP(SL)                                 | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.2605 | 12 INCH CPEP(SL)                                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.2610 | 15 INCH CPEP(SL)                                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.2615 | 18 INCH CPEP(SL)                                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.2620 | 24 INCH CPEP(SL)                                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.2625 | 30 INCH CPEP(SL)                                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.2630 | 36 INCH CPEP(SL)                                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.2635 | 42 INCH CPEP(SL)                                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.2640 | 48 INCH CPEP(SL)                                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.2645 | 54 INCH CPEP(SL)                                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.2650 | 60 INCH CPEP(SL)                                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.2805 | 12 INCH CPPP(SL)                                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.2810 | 15 INCH CPPP(SL)                                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.2815 | 18 INCH CPPP(SL)                                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.2820 | 24 INCH CPPP(SL)                                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.2825 | 30 INCH CPPP(SL)                                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.2830 | 36 INCH CPPP(SL)                                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.2835 | 42 INCH CPPP(SL)                                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.3236 | 35 INCH × 24 INCH CAAPA .075 (2-2/3 × 1/2)      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.3258 | 57 INCH × 38 INCH CAAPA .135 (2-2/3 × 1/2)      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.3436 | 35 INCH × 24 INCH PCCSPA .079 (2-2/3 × 1/2)     | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.3457 | 57 INCH × 38 INCH PCCSPA .109 (2-2/3 × 1/2)     | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.4252 | 49 INCH × 33 INCH CAAPA(SL) .105 (2-2/3 × 1/2)  | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.4258 | 57 INCH × 38 INCH CAAPA(SL) .135 (2-2/3 × 1/2)  | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.4457 | 57 INCH × 38 INCH PCCSPA(SL) .109 (2-2/3 × 1/2) | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.5005 | 12 INCH CSP ELBOW .064 (2-2/3 × 1/2)            | EACH        |
| 2024 | Standard Specifications for Construction | 601.5010 | 15 INCH CSP ELBOW .064 (2-2/3 × 1/2)            | EACH        |
| 2024 | Standard Specifications for Construction | 601.5015 | 18 INCH CSP ELBOW .064 (2-2/3 × 1/2)            | EACH        |
| 2024 | Standard Specifications for Construction | 601.5036 | 30 INCH CSP ELBOW .079 (2-2/3 × 1/2)            | EACH        |
| 2024 | Standard Specifications for Construction | 601.5046 | 36 INCH CSP ELBOW .079 (2-2/3 × 1/2)            | EACH        |
|      |  |          |   |             |

| 2024 | Standard Specifications for Construction | 601.5205 | 12 INCH CAAP ELBOW .060 (2-2/3 × 1/2)  | EACH |
|------|--|----------|--|------|
| 2024 | Standard Specifications for Construction | 601.5210 | 15 INCH CAAP ELBOW .060 (2-2/3 × 1/2)  | EACH |
| 2024 | Standard Specifications for Construction | 601.5215 | 18 INCH CAAP ELBOW .060 (2-2/3 × 1/2)  | EACH |
| 2024 | Standard Specifications for Construction | 601.5225 | 24 INCH CAAP ELBOW .060 (2-2/3 × 1/2)  | EACH |
| 2024 | Standard Specifications for Construction | 601.5236 | 30 INCH CAAP ELBOW .075 (2-2/3 × 1/2)  | EACH |
| 2024 | Standard Specifications for Construction | 601.5252 | 42 INCH CAAP ELBOW .105 (2-2/3 × 1/2)  | EACH |
| 2024 | Standard Specifications for Construction | 601.5405 | 12 INCH PCCSP ELBOW .064 (2-2/3 × 1/2) | EACH |
| 2024 | Standard Specifications for Construction | 601.5410 | 15 INCH PCCSP ELBOW .064 (2-2/3 × 1/2) | EACH |
| 2024 | Standard Specifications for Construction | 601.5415 | 18 INCH PCCSP ELBOW .064 (2-2/3 × 1/2) | EACH |
| 2024 | Standard Specifications for Construction | 601.5425 | 24 INCH PCCSP ELBOW .064 (2-2/3 × 1/2) | EACH |
| 2024 | Standard Specifications for Construction | 601.5436 | 30 INCH PCCSP ELBOW .079 (2-2/3 × 1/2) | EACH |
| 2024 | Standard Specifications for Construction | 601.5456 | 42 INCH PCCSP ELBOW .109 (2-2/3 × 1/2) | EACH |
| 2024 | Standard Specifications for Construction | 601.5802 | 12 INCH CPEP ELBOW                     | EACH |
| 2024 | Standard Specifications for Construction | 601.5808 | 15 INCH CPEP ELBOW                     | EACH |
| 2024 | Standard Specifications for Construction | 601.5814 | 18 INCH CPEP ELBOW                     | EACH |
| 2024 | Standard Specifications for Construction | 601.5824 | 24 INCH CPEP ELBOW                     | EACH |
| 2024 | Standard Specifications for Construction | 601.5902 | 12 INCH CPPP ELBOW                     | EACH |
| 2024 | Standard Specifications for Construction | 601.5908 | 15 INCH CPPP ELBOW                     | EACH |
| 2024 | Standard Specifications for Construction | 601.5914 | 18 INCH CPPP ELBOW                     | EACH |
| 2024 | Standard Specifications for Construction | 601.5924 | 24 INCH CPPP ELBOW                     | EACH |
| 2024 | Standard Specifications for Construction | 601.6005 | 12 INCH CSPES .064 (2-2/3 × 1/2)       | EACH |
| 2024 | Standard Specifications for Construction | 601.6010 | 15 INCH CSPES .064 (2-2/3 × 1/2)       | EACH |
| 2024 | Standard Specifications for Construction | 601.6015 | 18 INCH CSPES .064 (2-2/3 × 1/2)       | EACH |
| 2024 | Standard Specifications for Construction | 601.6025 | 24 INCH CSPES .064 (2-2/3 × 1/2)       | EACH |
| 2024 | Standard Specifications for Construction | 601.6036 | 30 INCH CSPES .079 (2-2/3 × 1/2)       | EACH |
| 2024 | Standard Specifications for Construction | 601.6046 | 36 INCH CSPES .079 (2-2/3 × 1/2)       | EACH |
| 2024 | Standard Specifications for Construction | 601.6052 | 42 INCH CSPES .109 (2-2/3 × 1/2)       | EACH |
| 2024 | Standard Specifications for Construction | 601.6057 | 48 INCH CSPES .109 (2-2/3 × 1/2)       | EACH |
| 2024 | Standard Specifications for Construction | 601.6210 | 15 INCH CAAPES .060 (2-2/3 × 1/2)      | EACH |
| 2024 | Standard Specifications for Construction | 601.6215 | 18 INCH CAAPES .060 (2-2/3 × 1/2)      | EACH |
| 2024 | Standard Specifications for Construction | 601.6225 | 24 INCH CAAPES .060 (2-2/3 × 1/2)      | EACH |
|      |  |          |  |      |

| 2024 | Standard Specifications for Construction | 601.6236 | 30 INCH CAAPES .075 (2-2/3 × 1/2)                           | EACH        |
|------|--|----------|---|-------------|
| 2024 | Standard Specifications for Construction | 601.6246 | 36 INCH CAAPES .075 (2-2/3 × 1/2)                           | EACH        |
| 2024 | Standard Specifications for Construction | 601.6252 | 42 INCH CAAPES .105 (2-2/3 × 1/2)                           | EACH        |
| 2024 | Standard Specifications for Construction | 601.6257 | 48 INCH CAAPES .105 (2-2/3 × 1/2)                           | EACH        |
| 2024 | Standard Specifications for Construction | 601.6810 | 15 INCH RCPES CLASS III                                     | EACH        |
| 2024 | Standard Specifications for Construction | 601.6815 | 18 INCH RCPES CLASS III                                     | EACH        |
| 2024 | Standard Specifications for Construction | 601.6825 | 24 INCH RCPES CLASS III                                     | EACH        |
| 2024 | Standard Specifications for Construction | 601.6835 | 30 INCH RCPES CLASS III                                     | EACH        |
| 2024 | Standard Specifications for Construction | 601.6845 | 36 INCH RCPES CLASS III                                     | EACH        |
| 2024 | Standard Specifications for Construction | 601.6855 | 48 INCH RCPES CLASS III                                     | EACH        |
| 2024 | Standard Specifications for Construction | 601.7005 | 12 INCH CPEPES  | EACH        |
| 2024 | Standard Specifications for Construction | 601.7010 | 15 INCH CPEPES  | EACH        |
| 2024 | Standard Specifications for Construction | 601.7015 | 18 INCH CPEPES  | EACH        |
| 2024 | Standard Specifications for Construction | 601.7020 | 24 INCH CPEPES  | EACH        |
| 2024 | Standard Specifications for Construction | 601.7025 | 30 INCH CPEPES  | EACH        |
| 2024 | Standard Specifications for Construction | 601.7030 | 36 INCH CPEPES  | EACH        |
| 2024 | Standard Specifications for Construction | 601.7105 | 12 INCH CPPPES  | EACH        |
| 2024 | Standard Specifications for Construction | 601.7110 | 15 INCH CPPPES  | EACH        |
| 2024 | Standard Specifications for Construction | 601.7115 | 18 INCH CPPPES  | EACH        |
| 2024 | Standard Specifications for Construction | 601.7120 | 24 INCH CPPPES  | EACH        |
| 2024 | Standard Specifications for Construction | 601.7125 | 30 INCH CPPPES  | EACH        |
| 2024 | Standard Specifications for Construction | 601.7130 | 36 INCH CPPPES  | EACH        |
| 2024 | Standard Specifications for Construction | 601.8036 | 35 INCH × 24 INCH CSPAES .079 (2-2/3 × 1/2)                 | EACH        |
| 2024 | Standard Specifications for Construction | 601.8236 | 35 INCH × 24 INCH CAAPAES .075 (2-2/3 × 1/2)                | EACH        |
| 2024 | Standard Specifications for Construction | 601.9900 | RE-LAYING PIPE CULVERTS                                     | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.9915 | RE-LAYING PIPE CULVERTS, 15 INCH                            | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.9918 | RE-LAYING PIPE CULVERTS, 18 INCH                            | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.9924 | RE-LAYING PIPE CULVERTS, 24 INCH                            | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.9950 | CLEANING CULVERT PIPE, IN-PLACE (0 TO 24 INCHES, INCLUSIVE) | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 601.9960 | CLEANING CULVERT PIPE, IN-PLACE (GREATER THAN 24 INCHES)    | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 602.1500 | CEMENT MASONRY  | CUBIC YARD  |
|      | · · · · · · · · · · · · · · · · · · ·    | -        |   |             |

| 2024 | Standard Specifications for Construction | 602.2000    | DRY MASONRY  | CUBIC YARD  |
|------|--|-------------|--|-------------|
| 2024 | Standard Specifications for Construction | 602.2500    | STONE MASONRY FACING   | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 602.2500001 | GRANITE FOREBAY PAVERS                                       | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 602.3000    | REPOINTING MASONRY   | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 602.3500    | REBUILT STONE MASONRY  | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 602.4000    | REPAIRING STONE MASONRY                                      | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 602.4500    | CORING CONCRETE  | EACH        |
| 2024 | Standard Specifications for Construction | 604.1000    | CONCRETE CATCH BASIN WITH CAST IRON GRATE                    | EACH        |
| 2024 | Standard Specifications for Construction | 604.1100    | CONCRETE MANHOLE WITH CAST IRON COVER                        | EACH        |
| 2024 | Standard Specifications for Construction | 604.1800    | PRECAST REINFORCED CONCRETE DI WITH CAST IRON GRATE          | EACH        |
| 2024 | Standard Specifications for Construction | 604.2000    | PRECAST REINFORCED CONCRETE CATCH BASIN WITH CAST IRON GRATE | EACH        |
| 2024 | Standard Specifications for Construction | 604.2100    | PRECAST REINFORCED CONCRETE MANHOLE<br>WITH CAST IRON COVER  | EACH        |
| 2024 | Standard Specifications for Construction | 604.2200    | SANITARY SEWER MANHOLE                                       | EACH        |
| 2024 | Standard Specifications for Construction | 604.2500    | PRECAST REINFORCED CONCRETE PIPE DI WITH CAST IRON GRATE     | EACH        |
| 2024 | Standard Specifications for Construction | 604.2600    | PRECAST REINFORCED CONCRETE PIPE DI WITH CONCRETE COVER      | EACH        |
| 2024 | Standard Specifications for Construction | 604.3000    | PRECAST REINFORCED CONCRETE CURB DI WITH CAST IRON GRATE     | EACH        |
| 2024 | Standard Specifications for Construction | 604.4000    | CHANGING ELEVATION OF DIS, CATCH BASINS, OR MANHOLES         | EACH        |
| 2024 | Standard Specifications for Construction | 604.4101    | REHABILITATING DIS, CATCH BASINS, OR<br>MANHOLES, CLASS I    | EACH        |
| 2024 | Standard Specifications for Construction | 604.4102    | REHABILITATING DIS, CATCH BASINS, OR<br>MANHOLES, CLASS II   | EACH        |
| 2024 | Standard Specifications for Construction | 604.4103    | REHABILITATING DIS, CATCH BASINS, OR<br>MANHOLES, CLASS III  | EACH        |
| 2024 | Standard Specifications for Construction | 604.4200    | CHANGING ELEVATION OF SEWER MANHOLES                         | EACH        |
| 2024 | Standard Specifications for Construction | 604.4501    | CAST IRON GRATE WITH FRAME, TYPE A                           | EACH        |
| 2024 | Standard Specifications for Construction | 604.4502    | CAST IRON GRATE WITH FRAME, TYPE B                           | EACH        |
| 2024 | Standard Specifications for Construction | 604.4504    | CAST IRON GRATE WITH FRAME, TYPE D                           | EACH        |
| 2024 | Standard Specifications for Construction | 604.4505    | CAST IRON GRATE WITH FRAME, TYPE E                           | EACH        |
| 2024 | Standard Specifications for Construction | 604.4903    | CAST IRON GRATE, TYPE C                                      | EACH        |
| 2024 | Standard Specifications for Construction | 604.5500    | CAST IRON COVER WITH FRAME                                   | EACH        |
| 2024 | Standard Specifications for Construction | 604.5600    | CAST IRON COVER WITH FRAME, SEWER                            | EACH        |
| 2024 | Standard Specifications for Construction | 604.6000    | CAP DROP INLET   | EACH        |
| 2024 | Standard Specifications for Construction | 604.6500    | DECOMMISSION DROP INLET                                      | EACH        |
| 2024 | Standard Specifications for Construction | 605.1006    | UNDERDRAIN PIPE, 6 INCH                                      | LINEAR FOOT |

| 2024 | Standard Specifications for Construction | 605.1008    | UNDERDRAIN PIPE, 8 INCH                     | LINEAR FOOT      |
|------|--|-------------|---|------------------|
| 2024 | Standard Specifications for Construction | 605.1012    | UNDERDRAIN PIPE, 12 INCH                    | LINEAR FOOT      |
| 2024 | Standard Specifications for Construction | 605.1012001 | FRP BRIDGE DRAIN                            | EACH             |
| 2024 | Standard Specifications for Construction | 605.2006    | UNDERDRAIN CARRIER PIPE, 6 INCH             | LINEAR FOOT      |
| 2024 | Standard Specifications for Construction | 605.2008    | UNDERDRAIN CARRIER PIPE, 8 INCH             | LINEAR FOOT      |
| 2024 | Standard Specifications for Construction | 605.2012    | UNDERDRAIN CARRIER PIPE, 12 INCH            | LINEAR FOOT      |
| 2024 | Standard Specifications for Construction | 605.9500    | UNDERDRAIN FLUSHING BASIN                   | EACH             |
| 2024 | Standard Specifications for Construction | 608.1001    | BULLDOZER RENTAL, TYPE I                    | HOUR             |
| 2024 | Standard Specifications for Construction | 608.1002    | BULLDOZER RENTAL, TYPE II                   | HOUR             |
| 2024 | Standard Specifications for Construction | 608.1500    | POWER GRADER RENTAL                         | HOUR             |
| 2024 | Standard Specifications for Construction | 608.2501    | ALL-PURPOSE EXCAVATOR RENTAL, TYPE I        | HOUR             |
| 2024 | Standard Specifications for Construction | 608.2502    | ALL-PURPOSE EXCAVATOR RENTAL, TYPE II       | HOUR             |
| 2024 | Standard Specifications for Construction | 608.2601    | SPECIAL PURPOSE EXCAVATOR RENTAL, TYPE I    | HOUR             |
| 2024 | Standard Specifications for Construction | 608.3001    | POWER BROOM RENTAL, TYPE I                  | HOUR             |
| 2024 | Standard Specifications for Construction | 608.3002    | POWER BROOM RENTAL, TYPE II                 | HOUR             |
| 2024 | Standard Specifications for Construction | 608.3003    | POWER BROOM RENTAL, TYPE III                | HOUR             |
| 2024 | Standard Specifications for Construction | 608.3700    | TRUCK RENTAL                                | HOUR             |
| 2024 | Standard Specifications for Construction | 608.4001    | LOADER RENTAL, TYPE I                       | HOUR             |
| 2024 | Standard Specifications for Construction | 608.4500    | TRUCK-MOUNTED ATTENUATOR                    | HOUR             |
| 2024 | Standard Specifications for Construction | 608.5000    | TRUCK-MOUNTED ATTENUATOR, AWV/PV            | HOUR             |
| 2024 | Standard Specifications for Construction | 609.1000    | DUST CONTROL WITH WATER                     | THOUSAND GALLONS |
| 2024 | Standard Specifications for Construction | 609.1500    | DUST CONTROL WITH CALCIUM CHLORIDE          | TON              |
| 2024 | Standard Specifications for Construction | 610.1000    | GNSS MACHINE CONTROL GRADING                | LUMP SUM         |
| 2024 | Standard Specifications for Construction | 610.2000    | GNSS CONSTRUCTION INSPECTION EQUIPMENT      | EACH             |
| 2024 | Standard Specifications for Construction | 610.2500    | GNSS CONSTRUCTION INSPECTION SURFACE MODELS | LUMP SUM         |
| 2024 | Standard Specifications for Construction | 613.0601    | E-STONE FILL, TYPE I                        | CUBIC YARD       |
| 2024 | Standard Specifications for Construction | 613.0602    | E-STONE FILL, TYPE II                       | CUBIC YARD       |
| 2024 | Standard Specifications for Construction | 613.0603    | E-STONE FILL, TYPE III                      | CUBIC YARD       |
| 2024 | Standard Specifications for Construction | 613.0604    | E-STONE FILL, TYPE IV                       | CUBIC YARD       |
| 2024 | Standard Specifications for Construction | 613.1001    | STONE FILL, TYPE I                          | CUBIC YARD       |
| 2024 | Standard Specifications for Construction | 613.1002    | STONE FILL, TYPE II                         | CUBIC YARD       |
|      |  |             |   |                  |

| or Construction tandard Specifications or Construction | 613.1003<br>613.1004<br>613.1510<br>613.1520<br>614.1000   | STONE FILL, TYPE III  STONE FILL, TYPE IV  RIPRAP, LIGHT TYPE  RIPRAP, HEAVY TYPE  | CUBIC YARD  CUBIC YARD  CUBIC YARD   |
|--|--|--|--|
| tandard Specifications or Construction                 | 613.1510<br>613.1520<br>614.1000   | RIPRAP, LIGHT TYPE RIPRAP, HEAVY TYPE  | CUBIC YARD   |
| tandard Specifications or Construction   | 613.1520<br>614.1000   | RIPRAP, HEAVY TYPE   |  |
| or Construction tandard Specifications or Construction tandard Specifications or Construction  | 614.1000   | ,  | CUDIC VADD   |
| or Construction<br>tandard Specifications<br>or Construction   |  |  | CODIC TARD   |
| or Construction  | C4.4.0000  | TEMPORARY RELOCATION OF STREAM   | EACH   |
| 4 4 6 1 7 1  | 614.2000   | IN-WATER SEDIMENT ISOLATION MEASURES   | LUMP SUM   |
| tandard Specifications or Construction   | 616.2000   | GRANITE SLOPE EDGING   | LINEAR FOOT  |
| tandard Specifications or Construction   | 616.2100   | VERTICAL GRANITE CURB  | LINEAR FOOT  |
| tandard Specifications or Construction   | 616.2150   | VERTICAL GRANITE CURB, MOUNTABLE   | LINEAR FOOT  |
| tandard Specifications or Construction   | 616.2250   | REPOINTING GRANITE BRIDGE CURB   | GALLON   |
| tandard Specifications<br>or Construction  | 616.2501   | PRECAST REINFORCED CONCRETE CURB, TYPE A   | LINEAR FOOT  |
| tandard Specifications or Construction   | 616.2502   | PRECAST REINFORCED CONCRETE CURB, TYPE B   | LINEAR FOOT  |
| tandard Specifications or Construction   | 616.2701   | CAST-IN-PLACE CONCRETE CURB, TYPE A  | LINEAR FOOT  |
| tandard Specifications or Construction   | 616.2702   | CAST-IN-PLACE CONCRETE CURB, TYPE B  | LINEAR FOOT  |
| tandard Specifications or Construction   | 616.3101   | BITUMINOUS CONCRETE CURB, TYPE A   | LINEAR FOOT  |
| tandard Specifications or Construction   | 616.3102   | BITUMINOUS CONCRETE CURB, TYPE B   | LINEAR FOOT  |
| tandard Specifications<br>or Construction  | 616.3500   | TREATED TIMBER CURB  | LINEAR FOOT  |
| tandard Specifications<br>or Construction  | 616.4000   | REMOVING AND RESETTING CURB  | LINEAR FOOT  |
| tandard Specifications<br>or Construction  | 616.4100   | REMOVAL OF EXISTING CURB   | LINEAR FOOT  |
| tandard Specifications or Construction   | 616.4700   | BITUMINOUS CONCRETE GUTTERS AND TRAFFIC ISLANDS  | TON  |
| tandard Specifications or Construction   | 617.1100   | REMOVE AND RESET MAILBOX, SINGLE SUPPORT   | EACH   |
| tandard Specifications<br>or Construction  | 617.1200   | REMOVE AND RESET MAILBOX, MULTIPLE SUPPORT   | EACH   |
| tandard Specifications or Construction   | 617.2100   | REMOVE AND REPLACE MAILBOX, SINGLE SUPPORT   | EACH   |
| tandard Specifications<br>or Construction  | 617.2200   | REMOVE AND REPLACE MAILBOX, MULTIPLE SUPPORT   | EACH   |
| tandard Specifications<br>or Construction  | 618.1005   | PORTLAND CEMENT CONCRETE SIDEWALK, 5 INCH  | SQUARE YARD  |
| tandard Specifications<br>or Construction  | 618.1005001  | PORTLAND CEMENT HEATED WALKWAY   | LUMP SUM   |
| tandard Specifications<br>or Construction  | 618.1008   | PORTLAND CEMENT CONCRETE SIDEWALK, 8 INCH  | SQUARE YARD  |
| tandard Specifications<br>or Construction  | 618.1205   | REINFORCED PORTLAND CEMENT CONCRETE SIDEWALK, 5 INCH   | SQUARE YARD  |
| tandard Specifications<br>or Construction  | 618.1208   | REINFORCED PORTLAND CEMENT CONCRETE SIDEWALK, 8 INCH   | SQUARE YARD  |
| tandard Specifications<br>or Construction  | 618.1500   | BITUMINOUS CONCRETE SIDEWALK   | TON  |
| tandard Specifications or Construction   | 618.3000   | DETECTABLE WARNING SURFACE   | SQUARE FOOT  |
|  | andard Specifications Construction | andard Specifications Construction andard Specifica | indard Specifications Construction andard Specifica |

| 2024 | Standard Specifications for Construction | 618.4005    | STAMPED CONCRETE APRON, 5 INCH                | SQUARE YARD |
|------|--|-------------|---|-------------|
| 2024 | Standard Specifications for Construction | 618.4108    | STAMPED CONCRETE ISLAND, 8 INCH               | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 619.1000    | BOUNDARY MARKERS                              | EACH        |
| 2024 | Standard Specifications for Construction | 619.1400    | BOLLARDS                                      | EACH        |
| 2024 | Standard Specifications for Construction | 619.1500    | WOOD MARKER POSTS                             | EACH        |
| 2024 | Standard Specifications for Construction | 619.1700    | YIELDING MARKER POSTS                         | EACH        |
| 2024 | Standard Specifications for Construction | 619.2000    | REMOVING AND RESETTING PROPERTY MARKERS       | EACH        |
| 2024 | Standard Specifications for Construction | 620.1004    | CHAIN-LINK FENCE, 4 FOOT                      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 620.1006    | CHAIN-LINK FENCE, 6 FOOT                      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 620.1008    | CHAIN-LINK FENCE, 8 FOOT                      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 620.1504    | GATE FOR CHAIN-LINK FENCE, 4 FOOT             | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 620.1506    | GATE FOR CHAIN-LINK FENCE, 6 FOOT             | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 620.1508    | GATE FOR CHAIN-LINK FENCE, 8 FOOT             | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 620.2004    | BRACING ASSEMBLY FOR CHAIN-LINK FENCE, 4 FOOT | EACH        |
| 2024 | Standard Specifications for Construction | 620.2006    | BRACING ASSEMBLY FOR CHAIN-LINK FENCE, 6 FOOT | EACH        |
| 2024 | Standard Specifications for Construction | 620.2008    | BRACING ASSEMBLY FOR CHAIN-LINK FENCE, 8 FOOT | EACH        |
| 2024 | Standard Specifications for Construction | 620.2500    | WOVEN WIRE FENCE WITH STEEL POSTS             | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 620.2600    | WOVEN WIRE FENCE WITH WOOD POSTS              | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 620.3000    | DRIVE GATE FOR WOVEN WIRE FENCE               | EACH        |
| 2024 | Standard Specifications for Construction | 620.4000    | STEEL BRACE FOR WOVEN WIRE FENCE              | EACH        |
| 2024 | Standard Specifications for Construction | 620.4100    | WOOD BRACE FOR WOVEN WIRE FENCE               | EACH        |
| 2024 | Standard Specifications for Construction | 620.4500    | PLANK RAIL FENCE                              | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 620.5000    | REMOVING AND RESETTING FENCE                  | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 620.5500    | REMOVAL OF EXISTING FENCE                     | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 620.7500    | SNOW BARRIER FENCE                            | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 620.8000    | BARBED WIRE FENCE                             | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 620.8100    | SPLIT RAIL FENCE                              | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 620.8200    | SQUARE STEEL FENCE                            | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 620.8200001 | VEHICULAR GATE                                | EACH        |
| 2024 | Standard Specifications for Construction | 620.9000    | HAND RAILING                                  | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 621.0100    | REMOVAL OF GUARDRAIL                          | LINEAR FOOT |
|      |  |             |   |             |

| 2024 | Standard Specifications for Construction | 621.0110 | REMOVAL OF GUARDRAIL POSTS                                | EACH        |
|------|--|----------|---|-------------|
| 2024 | Standard Specifications for Construction | 621.0120 | REMOVAL OF GUARDRAIL OFFSET BLOCKS                        | EACH        |
| 2024 | Standard Specifications for Construction | 621.0200 | REMOVE AND RESET TEMPORARY TRAFFIC<br>BARRIER             | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 621.0210 | REMOVE AND RESET GUARDRAIL                                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 621.0220 | ADJUST HEIGHT OF GUARDRAIL                                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 621.0300 | REPLACE GUARDRAIL BEAM UNIT, W-BEAM                       | EACH        |
| 2024 | Standard Specifications for Construction | 621.0360 | REPLACE GUARDRAIL POST ASSEMBLY, W-BEAM WITH 6 FOOT POSTS | EACH        |
| 2024 | Standard Specifications for Construction | 621.0380 | REPLACE GUARDRAIL POST ASSEMBLY, W-BEAM WITH 8 FOOT POSTS | EACH        |
| 2024 | Standard Specifications for Construction | 621.0400 | REPLACE GUARDRAIL BEAM UNIT, BOX BEAM                     | EACH        |
| 2024 | Standard Specifications for Construction | 621.0450 | REPLACE GUARDRAIL POST ASSEMBLY, BOX BEAM                 | EACH        |
| 2024 | Standard Specifications for Construction | 621.0500 | REPLACE GUARDRAIL BEAM UNIT, THRIE BEAM                   | EACH        |
| 2024 | Standard Specifications for Construction | 621.0550 | REPLACE GUARDRAIL POST ASSEMBLY, THRIE BEAM               | EACH        |
| 2024 | Standard Specifications for Construction | 621.1060 | STEEL BEAM GUARDRAIL                                      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 621.1080 | STEEL BEAM GUARDRAIL WITH 8 FOOT POSTS                    | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 621.1160 | STEEL BEAM GUARDRAIL, NESTED                              | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 621.1180 | STEEL BEAM GUARDRAIL WITH 8 FOOT POSTS, NESTED            | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 621.1260 | HD STEEL BEAM GUARDRAIL                                   | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 621.1280 | HD STEEL BEAM GUARDRAIL WITH 8 FOOT POSTS                 | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 621.1360 | HD STEEL BEAM GUARDRAIL, NESTED                           | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 621.1380 | HD STEEL BEAM GUARDRAIL WITH 8 FOOT POSTS, NESTED         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 621.1500 | STEEL BEAM GUARDRAIL OFFSET BLOCK                         | EACH        |
| 2024 | Standard Specifications for Construction | 621.1510 | TERMINAL CONNECTOR FOR STEEL BEAM<br>GUARDRAIL            | EACH        |
| 2024 | Standard Specifications for Construction | 621.1520 | ANCHOR FOR STEEL BEAM GUARDRAIL                           | EACH        |
| 2024 | Standard Specifications for Construction | 621.1530 | ANCHOR FOR STEEL BEAM GUARDRAIL, MGS                      | EACH        |
| 2024 | Standard Specifications for Construction | 621.1540 | ANCHOR FOR STEEL BEAM TO BOX BEAM TRANSITION              | EACH        |
| 2024 | Standard Specifications for Construction | 621.1550 | GUARDRAIL TRANSITION, STEEL BEAM TO BOX BEAM              | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 621.1560 | TRAFFIC BARRIER DELINEATOR                                | EACH        |
| 2024 | Standard Specifications for Construction | 621.2200 | THRIE BEAM GUARDRAIL                                      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 621.2300 | BOX BEAM GUARDRAIL  | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 621.2400 | TEMPORARY TRAFFIC BARRIER                                 | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 621.2500 | TEMPORARY TRAFFIC PROTECTION                              | LINEAR FOOT |

| 2024 | Standard Specifications for Construction | 621.2600 | STEEL BACKED TIMBER GUARDRAIL                                  | LINEAR FOOT             |
|------|--|----------|--|-------------------------|
| 2024 | Standard Specifications for Construction | 621.3020 | MTS, MGS, TANGENT, TL-2  | EACH                    |
| 2024 | Standard Specifications for Construction | 621.3030 | MTS, MGS, TANGENT, TL-3  | EACH                    |
| 2024 | Standard Specifications for Construction | 621.3120 | MTS, MGS, FLARED, TL-2   | EACH                    |
| 2024 | Standard Specifications for Construction | 621.3130 | MTS, MGS, FLARED, TL-3   | EACH                    |
| 2024 | Standard Specifications for Construction | 621.4020 | MTS, BOX BEAM, TANGENT, TL-2                                   | ЕАСН                    |
| 2024 | Standard Specifications for Construction | 621.4030 | MTS, BOX BEAM, TANGENT, TL-3                                   | EACH                    |
| 2024 | Standard Specifications for Construction | 621.4120 | MTS, BOX BEAM, FLARED, TL-2                                    | EACH                    |
| 2024 | Standard Specifications for Construction | 621.4130 | MTS, BOX BEAM, FLARED, TL-3                                    | EACH                    |
| 2024 | Standard Specifications for Construction | 621.6021 | BOX BEAM GUARDRAIL END ASSEMBLY, TYPE IIA                      | EACH                    |
| 2024 | Standard Specifications for Construction | 621.7020 | ENERGY ABSORPTION ATTENUATOR,<br>TEMPORARY, TL-2               | EACH                    |
| 2024 | Standard Specifications for Construction | 621.7030 | ENERGY ABSORPTION ATTENUATOR,<br>TEMPORARY, TL-3               | EACH                    |
| 2024 | Standard Specifications for Construction | 621.7120 | ENERGY ABSORPTION ATTENUATOR,<br>PERMANENT, TL-2               | EACH                    |
| 2024 | Standard Specifications for Construction | 621.7130 | ENERGY ABSORPTION ATTENUATOR,<br>PERMANENT, TL-3               | EACH                    |
| 2024 | Standard Specifications for Construction | 621.8010 | GUARDRAIL APPROACH SECTION, TYPE I                             | EACH                    |
| 2024 | Standard Specifications for Construction | 621.8020 | GUARDRAIL APPROACH SECTION, TYPE II                            | EACH                    |
| 2024 | Standard Specifications for Construction | 621.8030 | GUARDRAIL APPROACH SECTION, HD STEEL<br>BEAM                   | EACH                    |
| 2024 | Standard Specifications for Construction | 621.8040 | GUARDRAIL APPROACH SECTION, HD STEEL<br>BEAM WITH 8 FOOT POSTS | EACH                    |
| 2024 | Standard Specifications for Construction | 621.8120 | GUARDRAIL APPROACH SECTION, 2 RAIL BOX<br>BEAM                 | EACH                    |
| 2024 | Standard Specifications for Construction | 621.8130 | GUARDRAIL APPROACH SECTION, 3 RAIL BOX<br>BEAM                 | EACH                    |
| 2024 | Standard Specifications for Construction | 621.8140 | GUARDRAIL APPROACH SECTION, 4 RAIL BOX<br>BEAM                 | EACH                    |
| 2024 | Standard Specifications for Construction | 621.8230 | GUARDRAIL APPROACH SECTION, 3 RAIL BOX<br>BEAM, CURBLESS       | EACH                    |
| 2024 | Standard Specifications for Construction | 621.8231 | GUARDRAIL APPROACH SECTION TO 3 RAIL<br>ALUMINUM               | EACH                    |
| 2024 | Standard Specifications for Construction | 621.8232 | GUARDRAIL APPROACH SECTION TO 3 RAIL<br>ALUMINUM, PEDESTRIAN   | EACH                    |
| 2024 | Standard Specifications for Construction | 621.8320 | GUARDRAIL APPROACH SECTION TO CONCRETE<br>BRIDGE RAIL, TL-2    | EACH                    |
| 2024 | Standard Specifications for Construction | 621.8330 | GUARDRAIL APPROACH SECTION TO CONCRETE<br>BRIDGE RAIL, TL-3    | EACH                    |
| 2024 | Standard Specifications for Construction | 621.9980 | GUARDRAIL APPROACH SECTION, METAL TRUSS<br>BRIDGE              | EACH                    |
| 2024 | Standard Specifications for Construction | 621.9990 | GUARDRAIL APPROACH SECTION, COVERED BRIDGE                     | EACH                    |
| 2024 | Standard Specifications for Construction | 622.1000 | INSULATION BOARD   | 1000 FEET BOARD MEASURE |
| 2024 | Standard Specifications for Construction | 625.1000 | SLEEVES FOR UTILITIES, HDPE                                    | LINEAR FOOT             |
| 2024 | Standard Specifications for Construction | 625.1002 | SLEEVES FOR UTILITIES, HDPE, 2 INCH                            | LINEAR FOOT             |
|      |  |          |  |                         |

| Standard Specifications for Construction | 625.1004   | SLEEVES FOR UTILITIES, HDPE, 4 INCH  | LINEAR FOOT  |
|--|--|--|--|
| Standard Specifications for Construction | 625.1006   | SLEEVES FOR UTILITIES, HDPE, 6 INCH  | LINEAR FOOT  |
| Standard Specifications for Construction | 625.1008   | SLEEVES FOR UTILITIES, HDPE, 8 INCH  | LINEAR FOOT  |
| Standard Specifications for Construction | 625.1010   | SLEEVES FOR UTILITIES, HDPE, 10 INCH   | LINEAR FOOT  |
| Standard Specifications for Construction | 625.1012   | SLEEVES FOR UTILITIES, HDPE, 12 INCH   | LINEAR FOOT  |
| Standard Specifications for Construction | 625.1014   | SLEEVES FOR UTILITIES, HDPE, 14 INCH   | LINEAR FOOT  |
| Standard Specifications for Construction | 625.1016   | SLEEVES FOR UTILITIES, HDPE, 16 INCH   | LINEAR FOOT  |
| Standard Specifications for Construction | 625.1018   | SLEEVES FOR UTILITIES, HDPE, 18 INCH   | LINEAR FOOT  |
| Standard Specifications for Construction | 625.1020   | SLEEVES FOR UTILITIES, HDPE, 20 INCH   | LINEAR FOOT  |
| Standard Specifications for Construction | 625.1022   | SLEEVES FOR UTILITIES, HDPE, 22 INCH   | LINEAR FOOT  |
| Standard Specifications for Construction | 625.1024   | SLEEVES FOR UTILITIES, HDPE, 24 INCH   | LINEAR FOOT  |
| Standard Specifications for Construction | 625.2000   | SLEEVES FOR UTILITIES, PVC   | LINEAR FOOT  |
| Standard Specifications for Construction | 625.2002   | SLEEVES FOR UTILITIES, PVC, 2 INCH   | LINEAR FOOT  |
| Standard Specifications for Construction | 625.2004   | SLEEVES FOR UTILITIES, PVC, 4 INCH   | LINEAR FOOT  |
| Standard Specifications for Construction | 625.2006   | SLEEVES FOR UTILITIES, PVC, 6 INCH   | LINEAR FOOT  |
| Standard Specifications for Construction | 625.2008   | SLEEVES FOR UTILITIES, PVC, 8 INCH   | LINEAR FOOT  |
| Standard Specifications for Construction | 625.2010   | SLEEVES FOR UTILITIES, PVC, 10 INCH  | LINEAR FOOT  |
| Standard Specifications for Construction | 625.2012   | SLEEVES FOR UTILITIES, PVC, 12 INCH  | LINEAR FOOT  |
| Standard Specifications for Construction | 625.2014   | SLEEVES FOR UTILITIES, PVC, 14 INCH  | LINEAR FOOT  |
| Standard Specifications for Construction | 625.2016   | SLEEVES FOR UTILITIES, PVC, 16 INCH  | LINEAR FOOT  |
| Standard Specifications for Construction | 625.2018   | SLEEVES FOR UTILITIES, PVC, 18 INCH  | LINEAR FOOT  |
| Standard Specifications for Construction | 625.2020   | SLEEVES FOR UTILITIES, PVC, 20 INCH  | LINEAR FOOT  |
| Standard Specifications for Construction | 625.2022   | SLEEVES FOR UTILITIES, PVC, 22 INCH  | LINEAR FOOT  |
| Standard Specifications for Construction | 625.2024   | SLEEVES FOR UTILITIES, PVC, 24 INCH  | LINEAR FOOT  |
| Standard Specifications for Construction | 625.3000   | SLEEVES FOR UTILITIES, STEEL   | LINEAR FOOT  |
| Standard Specifications for Construction | 625.3002   | SLEEVES FOR UTILITIES, STEEL, 2 INCH   | LINEAR FOOT  |
| Standard Specifications for Construction | 625.3004   | SLEEVES FOR UTILITIES, STEEL, 4 INCH   | LINEAR FOOT  |
| Standard Specifications for Construction | 625.3006   | SLEEVES FOR UTILITIES, STEEL, 6 INCH   | LINEAR FOOT  |
| Standard Specifications for Construction | 625.3008   | SLEEVES FOR UTILITIES, STEEL, 8 INCH   | LINEAR FOOT  |
| Standard Specifications for Construction | 625.3010   | SLEEVES FOR UTILITIES, STEEL, 10 INCH  | LINEAR FOOT  |
| Standard Specifications for Construction | 625.3012   | SLEEVES FOR UTILITIES, STEEL, 12 INCH  | LINEAR FOOT  |
|  | for Construction  Standard Specifications for Construction | for Construction  Standard Specifications for Construction  Standard Spe | Standard Specifications   G25.1006   SLEEVES FOR UTILITIES, HDPE, 6 INCH |

| 2024 | Standard Specifications for Construction | 625.3014    | SLEEVES FOR UTILITIES, STEEL, 14 INCH         | LINEAR FOOT |
|------|--|-------------|---|-------------|
| 2024 | Standard Specifications for Construction | 625.3016    | SLEEVES FOR UTILITIES, STEEL, 16 INCH         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 625.3018    | SLEEVES FOR UTILITIES, STEEL, 18 INCH         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 625.3020    | SLEEVES FOR UTILITIES, STEEL, 20 INCH         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 625.3022    | SLEEVES FOR UTILITIES, STEEL, 22 INCH         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 625.3024    | SLEEVES FOR UTILITIES, STEEL, 24 INCH         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 625.4000    | CONCRETE ENCASED CONDUIT                      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 625.4004    | CONCRETE ENCASED CONDUIT, 1 TO 4 CONDUITS     | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 625.4008    | CONCRETE ENCASED CONDUIT, 5 TO 8 CONDUITS     | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 625.4012    | CONCRETE ENCASED CONDUIT, 9 TO 12<br>CONDUITS | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 625.5000    | DIRECT BURIAL CONDUIT                         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 625.5004    | DIRECT BURIAL CONDUIT, 1 TO 4 CONDUITS        | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 625.5008    | DIRECT BURIAL CONDUIT, 5 TO 8 CONDUITS        | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 625.5012    | DIRECT BURIAL CONDUIT, 9 TO 12 CONDUITS       | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 625.6000    | WIRED CONDUIT                                 | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 625.6000001 | TRAFFIC SIGNAL INTERCONNECTION CABLE          | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 625.6002    | WIRED CONDUIT, 2 INCH                         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 625.6003    | WIRED CONDUIT, 3 INCH                         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 625.6004    | WIRED CONDUIT, 4 INCH                         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 625.6006    | WIRED CONDUIT, 6 INCH                         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 625.7000    | POWER DROP STANCHION                          | EACH        |
| 2024 | Standard Specifications for Construction | 625.7010    | JUNCTION BOX                                  | EACH        |
| 2024 | Standard Specifications for Construction | 625.7021    | PULL BOX, SINGLE                              | EACH        |
| 2024 | Standard Specifications for Construction | 625.7022    | PULL BOX, DOUBLE                              | EACH        |
| 2024 | Standard Specifications for Construction | 625.7030    | UTILITY PEDESTAL                              | EACH        |
| 2024 | Standard Specifications for Construction | 625.7040    | COMMUNICATIONS VAULT                          | EACH        |
| 2024 | Standard Specifications for Construction | 625.7045    | ELECTRICAL VAULT                              | EACH        |
| 2024 | Standard Specifications for Construction | 625.7050    | UTILITY PAD                                   | EACH        |
| 2024 | Standard Specifications for Construction | 628.1400    | PVC SEWER PIPE                                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.1406    | PVC SEWER PIPE, 1.5 INCH                      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.1408    | PVC SEWER PIPE, 2 INCH                        | LINEAR FOOT |
|      |  |             |   |             |

| 2024 | Standard Specifications for Construction | 628.1416 | PVC SEWER PIPE, 4 INCH                                       | LINEAR FOOT |
|------|--|----------|--|-------------|
| 2024 | Standard Specifications for Construction | 628.1424 | PVC SEWER PIPE, 6 INCH                                       | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.1432 | PVC SEWER PIPE, 8 INCH                                       | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.1440 | PVC SEWER PIPE, 10 INCH                                      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.1448 | PVC SEWER PIPE, 12 INCH                                      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.1460 | PVC SEWER PIPE, 15 INCH                                      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.1472 | PVC SEWER PIPE, 18 INCH                                      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.1496 | PVC SEWER PIPE, 24 INCH                                      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.1500 | PVC SEWER PIPE, ALL-INCLUSIVE                                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.1506 | PVC SEWER PIPE, ALL-INCLUSIVE, 1.5 INCH                      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.1508 | PVC SEWER PIPE, ALL-INCLUSIVE, 2 INCH                        | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.1516 | PVC SEWER PIPE, ALL-INCLUSIVE, 4 INCH                        | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.1524 | PVC SEWER PIPE, ALL-INCLUSIVE, 6 INCH                        | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.1532 | PVC SEWER PIPE, ALL-INCLUSIVE, 8 INCH                        | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.1540 | PVC SEWER PIPE, ALL-INCLUSIVE, 10 INCH                       | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.1548 | PVC SEWER PIPE, ALL-INCLUSIVE, 12 INCH                       | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.1560 | PVC SEWER PIPE, ALL-INCLUSIVE, 15 INCH                       | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.1572 | PVC SEWER PIPE, ALL-INCLUSIVE, 18 INCH                       | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.1596 | PVC SEWER PIPE, ALL-INCLUSIVE, 24 INCH                       | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.1600 | DUCTILE IRON SEWER PIPE, CEMENT-LINED                        | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.1624 | DUCTILE IRON SEWER PIPE, CEMENT-LINED, 6<br>INCH             | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.1632 | DUCTILE IRON SEWER PIPE, CEMENT-LINED, 8 INCH                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.1640 | DUCTILE IRON SEWER PIPE, CEMENT-LINED, 10 INCH               | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.1648 | DUCTILE IRON SEWER PIPE, CEMENT-LINED, 12 INCH               | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.1660 | DUCTILE IRON SEWER PIPE, CEMENT-LINED, 15 INCH               | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.1672 | DUCTILE IRON SEWER PIPE, CEMENT-LINED, 18 INCH               | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.1696 | DUCTILE IRON SEWER PIPE, CEMENT-LINED, 24 INCH               | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.1700 | DUCTILE IRON SEWER PIPE, CEMENT-LINED, ALL-INCLUSIVE         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.1724 | DUCTILE IRON SEWER PIPE, CEMENT-LINED, ALL-INCLUSIVE, 6 IN.  | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.1732 | DUCTILE IRON SEWER PIPE, CEMENT-LINED, ALL-INCLUSIVE, 8 IN.  | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.1740 | DUCTILE IRON SEWER PIPE, CEMENT-LINED, ALL-INCLUSIVE, 10 IN. | LINEAR FOOT |
|      |  |          |  |             |

| 2024 | Standard Specifications for Construction | 628.1748 | DUCTILE IRON SEWER PIPE, CEMENT-LINED, ALL-INCLUSIVE, 12 IN. | LINEAR FOOT |
|------|--|----------|--|-------------|
| 2024 | Standard Specifications for Construction | 628.1760 | DUCTILE IRON SEWER PIPE, CEMENT-LINED, ALL-INCLUSIVE, 15 IN. | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.1772 | DUCTILE IRON SEWER PIPE, CEMENT-LINED, ALL-INCLUSIVE, 18 IN. | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.1796 | DUCTILE IRON SEWER PIPE, CEMENT-LINED, ALL-INCLUSIVE, 24 IN. | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.1800 | RE-LAYING SEWER PIPE   | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 628.3000 | SEWER CLEANOUT   | EACH        |
| 2024 | Standard Specifications for Construction | 628.3100 | SEWER CLEANOUT, ALL-INCLUSIVE                                | EACH        |
| 2024 | Standard Specifications for Construction | 628.4300 | TRANSFER TO NEW SYSTEM, SANITARY SEWER, ALL-INCLUSIVE        | LUMP SUM    |
| 2024 | Standard Specifications for Construction | 629.0500 | CRUSHED STONE BEDDING  | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 629.1000 | SEAMLESS COPPER WATER TUBE                                   | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1003 | SEAMLESS COPPER WATER TUBE, 0.75 INCH                        | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1004 | SEAMLESS COPPER WATER TUBE, 1 INCH                           | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1005 | SEAMLESS COPPER WATER TUBE, 1.25 INCH                        | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1006 | SEAMLESS COPPER WATER TUBE, 1.5 INCH                         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1007 | SEAMLESS COPPER WATER TUBE, 1.75 INCH                        | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1008 | SEAMLESS COPPER WATER TUBE, 2 INCH                           | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1100 | SEAMLESS COPPER WATER TUBE, ALL-INCLUSIVE                    | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1103 | SEAMLESS COPPER WATER TUBE, ALL-<br>INCLUSIVE, 0.75 INCH     | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1104 | SEAMLESS COPPER WATER TUBE, ALL-INCLUSIVE, 1 INCH            | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1105 | SEAMLESS COPPER WATER TUBE, ALL-INCLUSIVE, 1.25 INCH         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1106 | SEAMLESS COPPER WATER TUBE, ALL-INCLUSIVE, 1.5 INCH          | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1107 | SEAMLESS COPPER WATER TUBE, ALL-INCLUSIVE, 1.75 INCH         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1108 | SEAMLESS COPPER WATER TUBE, ALL-INCLUSIVE, 2 INCH            | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1200 | PLASTIC WATER PIPE, FLEXIBLE                                 | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1203 | PLASTIC WATER PIPE, FLEXIBLE, 0.75 INCH                      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1204 | PLASTIC WATER PIPE, FLEXIBLE, 1 INCH                         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1205 | PLASTIC WATER PIPE, FLEXIBLE, 1.25 INCH                      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1206 | PLASTIC WATER PIPE, FLEXIBLE, 1.5 INCH                       | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1207 | PLASTIC WATER PIPE, FLEXIBLE, 1.75 INCH                      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1208 | PLASTIC WATER PIPE, FLEXIBLE, 2 INCH                         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1300 | PLASTIC WATER PIPE, FLEXIBLE, ALL-INCLUSIVE                  | LINEAR FOOT |
|      |  |          |  |             |

| 2024 | Standard Specifications for Construction | 629.1303 | PLASTIC WATER PIPE, FLEXIBLE, ALL-INCLUSIVE, 0.75 INCH | LINEAR FOOT |
|------|--|----------|--|-------------|
| 2024 | Standard Specifications for Construction | 629.1304 | PLASTIC WATER PIPE, FLEXIBLE, ALL-INCLUSIVE, 1 INCH    | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1305 | PLASTIC WATER PIPE, FLEXIBLE, ALL-INCLUSIVE, 1.25 INCH | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1306 | PLASTIC WATER PIPE, FLEXIBLE, ALL-INCLUSIVE, 1.5 INCH  | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1307 | PLASTIC WATER PIPE, FLEXIBLE, ALL-INCLUSIVE, 1.75 INCH | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1308 | PLASTIC WATER PIPE, FLEXIBLE, ALL-INCLUSIVE, 2 INCH    | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1400 | PLASTIC WATER PIPE, RIGID                              | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1403 | PLASTIC WATER PIPE, RIGID, 0.75 INCH                   | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1404 | PLASTIC WATER PIPE, RIGID, 1 INCH                      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1405 | PLASTIC WATER PIPE, RIGID, 1.25 INCH                   | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1406 | PLASTIC WATER PIPE, RIGID, 1.5 INCH                    | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1407 | PLASTIC WATER PIPE, RIGID, 1.75 INCH                   | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1408 | PLASTIC WATER PIPE, RIGID, 2 INCH                      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1412 | PLASTIC WATER PIPE, RIGID, 3 INCH                      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1416 | PLASTIC WATER PIPE, RIGID, 4 INCH                      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1424 | PLASTIC WATER PIPE, RIGID, 6 INCH                      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1432 | PLASTIC WATER PIPE, RIGID, 8 INCH                      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1440 | PLASTIC WATER PIPE, RIGID, 10 INCH                     | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1448 | PLASTIC WATER PIPE, RIGID, 12 INCH                     | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1500 | PLASTIC WATER PIPE, RIGID, ALL-INCLUSIVE               | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1503 | PLASTIC WATER PIPE, RIGID, ALL-INCLUSIVE, 0.75 INCH    | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1504 | PLASTIC WATER PIPE, RIGID, ALL-INCLUSIVE, 1<br>INCH    | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1505 | PLASTIC WATER PIPE, RIGID, ALL-INCLUSIVE, 1.25 INCH    | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1506 | PLASTIC WATER PIPE, RIGID, ALL-INCLUSIVE, 1.5 INCH     | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1507 | PLASTIC WATER PIPE, RIGID, ALL-INCLUSIVE, 1.75 INCH    | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1508 | PLASTIC WATER PIPE, RIGID, ALL-INCLUSIVE, 2 INCH       | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1512 | PLASTIC WATER PIPE, RIGID, ALL-INCLUSIVE, 3 INCH       | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1516 | PLASTIC WATER PIPE, RIGID, ALL-INCLUSIVE, 4 INCH       | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1524 | PLASTIC WATER PIPE, RIGID, ALL-INCLUSIVE, 6 INCH       | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1532 | PLASTIC WATER PIPE, RIGID, ALL-INCLUSIVE, 8 INCH       | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1540 | PLASTIC WATER PIPE, RIGID, ALL-INCLUSIVE, 10 INCH      | LINEAR FOOT |
|      |  |          |  |             |

| 2024 | Standard Specifications for Construction | 629.1548    | PLASTIC WATER PIPE, RIGID, ALL-INCLUSIVE, 12<br>INCH         | LINEAR FOOT |
|------|--|-------------|--|-------------|
| 2024 | Standard Specifications for Construction | 629.1600    | DUCTILE IRON WATER PIPE, CEMENT-LINED                        | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1612    | DUCTILE IRON WATER PIPE, CEMENT-LINED, 3 INCH                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1616    | DUCTILE IRON WATER PIPE, CEMENT-LINED, 4<br>INCH             | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1624    | DUCTILE IRON WATER PIPE, CEMENT-LINED, 6<br>INCH             | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1632    | DUCTILE IRON WATER PIPE, CEMENT-LINED, 8 INCH                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1640    | DUCTILE IRON WATER PIPE, CEMENT-LINED, 10 INCH               | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1648    | DUCTILE IRON WATER PIPE, CEMENT-LINED, 12 INCH               | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1700    | DUCTILE IRON WATER PIPE, CEMENT-LINED, ALL-INCLUSIVE         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1700001 | WATER MAIN ON BRIDGE, ALL-INCLUSIVE (N.A.B.I.)               | DOLLAR      |
| 2024 | Standard Specifications for Construction | 629.1700002 | WATER MAIN ON BRIDGE, ALL-INCLUSIVE                          | LUMP SUM    |
| 2024 | Standard Specifications for Construction | 629.1712    | DUCTILE IRON WATER PIPE, CEMENT-LINED, ALL-INCLUSIVE, 3 IN.  | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1716    | DUCTILE IRON WATER PIPE, CEMENT-LINED, ALL-INCLUSIVE, 4 IN.  | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1724    | DUCTILE IRON WATER PIPE, CEMENT-LINED, ALL-INCLUSIVE, 6 IN.  | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1732    | DUCTILE IRON WATER PIPE, CEMENT-LINED, ALL-INCLUSIVE, 8 IN.  | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1740    | DUCTILE IRON WATER PIPE, CEMENT-LINED, ALL-INCLUSIVE, 10 IN. | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.1748    | DUCTILE IRON WATER PIPE, CEMENT-LINED, ALL-INCLUSIVE, 12 IN. | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 629.2000    | CORPORATION STOP   | EACH        |
| 2024 | Standard Specifications for Construction | 629.2003    | CORPORATION STOP, 0.75 INCH                                  | EACH        |
| 2024 | Standard Specifications for Construction | 629.2004    | CORPORATION STOP, 1 INCH                                     | EACH        |
| 2024 | Standard Specifications for Construction | 629.2005    | CORPORATION STOP, 1.25 INCH                                  | EACH        |
| 2024 | Standard Specifications for Construction | 629.2006    | CORPORATION STOP, 1.5 INCH                                   | EACH        |
| 2024 | Standard Specifications for Construction | 629.2007    | CORPORATION STOP, 1.75 INCH                                  | EACH        |
| 2024 | Standard Specifications for Construction | 629.2008    | CORPORATION STOP, 2 INCH                                     | EACH        |
| 2024 | Standard Specifications for Construction | 629.2100    | CORPORATION STOP, ALL-INCLUSIVE                              | EACH        |
| 2024 | Standard Specifications for Construction | 629.2103    | CORPORATION STOP, ALL-INCLUSIVE, 0.75 INCH                   | EACH        |
| 2024 | Standard Specifications for Construction | 629.2104    | CORPORATION STOP, ALL-INCLUSIVE, 1 INCH                      | EACH        |
| 2024 | Standard Specifications for Construction | 629.2105    | CORPORATION STOP, ALL-INCLUSIVE, 1.25 INCH                   | EACH        |
| 2024 | Standard Specifications for Construction | 629.2106    | CORPORATION STOP, ALL-INCLUSIVE, 1.5 INCH                    | EACH        |
| 2024 | Standard Specifications for Construction | 629.2107    | CORPORATION STOP, ALL-INCLUSIVE, 1.75 INCH                   | EACH        |
| 2024 | Standard Specifications for Construction | 629.2108    | CORPORATION STOP, ALL-INCLUSIVE, 2 INCH                      | EACH        |
|      | <del></del>                              | -           | ·  |             |

| 2024 | Standard Specifications for Construction | 629.2200 | EXTENSION SERVICE BOX AND CURB STOP                          | EACH |
|------|--|----------|--|------|
| 2024 | Standard Specifications for Construction | 629.2203 | EXTENSION SERVICE BOX AND CURB STOP, 0.75 INCH               | EACH |
| 2024 | Standard Specifications for Construction | 629.2204 | EXTENSION SERVICE BOX AND CURB STOP, 1 INCH                  | EACH |
| 2024 | Standard Specifications for Construction | 629.2205 | EXTENSION SERVICE BOX AND CURB STOP, 1.25 INCH               | EACH |
| 2024 | Standard Specifications for Construction | 629.2206 | EXTENSION SERVICE BOX AND CURB STOP, 1.5 INCH                | EACH |
| 2024 | Standard Specifications for Construction | 629.2207 | EXTENSION SERVICE BOX AND CURB STOP, 1.75 INCH               | EACH |
| 2024 | Standard Specifications for Construction | 629.2208 | EXTENSION SERVICE BOX AND CURB STOP, 2 INCH                  | EACH |
| 2024 | Standard Specifications for Construction | 629.2300 | EXTENSION SERVICE BOX AND CURB STOP, ALL-INCLUSIVE           | EACH |
| 2024 | Standard Specifications for Construction | 629.2303 | EXTENSION SERVICE BOX AND CURB STOP, ALL-INCLUSIVE, 0.75 IN. | EACH |
| 2024 | Standard Specifications for Construction | 629.2304 | EXTENSION SERVICE BOX AND CURB STOP, ALL-INCLUSIVE, 1 IN.    | EACH |
| 2024 | Standard Specifications for Construction | 629.2305 | EXTENSION SERVICE BOX AND CURB STOP, ALL-INCLUSIVE, 1.25 IN. | EACH |
| 2024 | Standard Specifications for Construction | 629.2306 | EXTENSION SERVICE BOX AND CURB STOP, ALL-INCLUSIVE, 1.5 IN.  | EACH |
| 2024 | Standard Specifications for Construction | 629.2307 | EXTENSION SERVICE BOX AND CURB STOP, ALL-INCLUSIVE, 1.75 IN. | EACH |
| 2024 | Standard Specifications for Construction | 629.2308 | EXTENSION SERVICE BOX AND CURB STOP, ALL-INCLUSIVE, 2 IN.    | EACH |
| 2024 | Standard Specifications for Construction | 629.2400 | GATE VALVE WITH VALVE BOX                                    | EACH |
| 2024 | Standard Specifications for Construction | 629.2412 | GATE VALVE WITH VALVE BOX, 3 INCH                            | EACH |
| 2024 | Standard Specifications for Construction | 629.2416 | GATE VALVE WITH VALVE BOX, 4 INCH                            | EACH |
| 2024 | Standard Specifications for Construction | 629.2424 | GATE VALVE WITH VALVE BOX, 6 INCH                            | EACH |
| 2024 | Standard Specifications for Construction | 629.2432 | GATE VALVE WITH VALVE BOX, 8 INCH                            | EACH |
| 2024 | Standard Specifications for Construction | 629.2440 | GATE VALVE WITH VALVE BOX, 10 INCH                           | EACH |
| 2024 | Standard Specifications for Construction | 629.2448 | GATE VALVE WITH VALVE BOX, 12 INCH                           | EACH |
| 2024 | Standard Specifications for Construction | 629.2500 | GATE VALVE WITH VALVE BOX, ALL-INCLUSIVE                     | EACH |
| 2024 | Standard Specifications for Construction | 629.2512 | GATE VALVE WITH VALVE BOX, ALL-INCLUSIVE, 3 INCH             | EACH |
| 2024 | Standard Specifications for Construction | 629.2516 | GATE VALVE WITH VALVE BOX, ALL-INCLUSIVE, 4 INCH             | EACH |
| 2024 | Standard Specifications for Construction | 629.2524 | GATE VALVE WITH VALVE BOX, ALL-INCLUSIVE, 6 INCH             | EACH |
| 2024 | Standard Specifications for Construction | 629.2532 | GATE VALVE WITH VALVE BOX, ALL-INCLUSIVE, 8 INCH             | EACH |
| 2024 | Standard Specifications for Construction | 629.2540 | GATE VALVE WITH VALVE BOX, ALL-INCLUSIVE, 10 INCH            | EACH |
| 2024 | Standard Specifications for Construction | 629.2548 | GATE VALVE WITH VALVE BOX, ALL-INCLUSIVE, 12 INCH            | EACH |
| 2024 | Standard Specifications for Construction | 629.2600 | TAPPING SLEEVE AND VALVE WITH VALVE BOX                      | EACH |
| 2024 | Standard Specifications for Construction | 629.2700 | TAPPING SLEEVE AND VALVE WITH VALVE BOX, ALL-INCLUSIVE       | EACH |
| 2024 | Standard Specifications for Construction | 629.2800 | ADJUST ELEVATION OF VALVE BOX                                | EACH |
|      |  |          |  |      |

| 2024 | Standard Specifications for Construction | 629.3000 | BLOW-OFF ASSEMBLY                              | EACH     |
|------|--|----------|--|----------|
| 2024 | Standard Specifications for Construction | 629.3100 | BLOW-OFF ASSEMBLY, ALL-INCLUSIVE               | EACH     |
| 2024 | Standard Specifications for Construction | 629.3200 | PERMANENT MANUAL AIR RELEASE                   | EACH     |
| 2024 | Standard Specifications for Construction | 629.3300 | PERMANENT MANUAL AIR RELEASE, ALL-INCLUSIVE    | EACH     |
| 2024 | Standard Specifications for Construction | 629.3400 | HYDRANT  | EACH     |
| 2024 | Standard Specifications for Construction | 629.3500 | HYDRANT, ALL-INCLUSIVE                         | EACH     |
| 2024 | Standard Specifications for Construction | 629.3600 | RELOCATE HYDRANT                               | EACH     |
| 2024 | Standard Specifications for Construction | 629.3800 | REMOVE HYDRANT                                 | EACH     |
| 2024 | Standard Specifications for Construction | 629.4000 | EXPANSION ASSEMBLY                             | EACH     |
| 2024 | Standard Specifications for Construction | 629.4300 | TRANSFER TO NEW SYSTEM, WATER, ALL-INCLUSIVE   | LUMP SUM |
| 2024 | Standard Specifications for Construction | 630.1000 | UNIFORMED TRAFFIC OFFICERS                     | HOUR     |
| 2024 | Standard Specifications for Construction | 630.1500 | FLAGGERS                                       | HOUR     |
| 2024 | Standard Specifications for Construction | 631.1000 | FIELD OFFICE, ENGINEER'S                       | LUMP SUM |
| 2024 | Standard Specifications for Construction | 631.1100 | FIELD OFFICE, SOILS AND MATERIALS              | LUMP SUM |
| 2024 | Standard Specifications for Construction | 631.1600 | TESTING EQUIPMENT, CONCRETE                    | LUMP SUM |
| 2024 | Standard Specifications for Construction | 631.1700 | TESTING EQUIPMENT, BITUMINOUS                  | LUMP SUM |
| 2024 | Standard Specifications for Construction | 631.1800 | TESTING EQUIPMENT, PROTECTIVE COATINGS         | LUMP SUM |
| 2024 | Standard Specifications for Construction | 631.1900 | TESTING EQUIPMENT, GROUT                       | LUMP SUM |
| 2024 | Standard Specifications for Construction | 631.2600 | FIELD OFFICE COMMUNICATIONS (N.A.B.I.)         | DOLLAR   |
| 2024 | Standard Specifications for Construction | 632.1000 | RAILROAD FLAGGERS (N.A.B.I.)                   | DOLLAR   |
| 2024 | Standard Specifications for Construction | 633.1000 | CPM SCHEDULE                                   | EACH     |
| 2024 | Standard Specifications for Construction | 634.1000 | EMPLOYEE TRAINEESHIP                           | HOUR     |
| 2024 | Standard Specifications for Construction | 635.1100 | MOBILIZATION/DEMOBILIZATION                    | LUMP SUM |
| 2024 | Standard Specifications for Construction | 641.1000 | TRAFFIC CONTROL                                | LUMP SUM |
| 2024 | Standard Specifications for Construction | 641.1100 | TRAFFIC CONTROL, ALL-INCLUSIVE                 | LUMP SUM |
| 2024 | Standard Specifications for Construction | 641.1200 | MAINTENANCE OF PEDESTRIAN TRAFFIC              | LUMP SUM |
| 2024 | Standard Specifications for Construction | 641.1500 | PORTABLE CHANGEABLE MESSAGE SIGN               | EACH     |
| 2024 | Standard Specifications for Construction | 641.1600 | PORTABLE ARROW BOARD                           | EACH     |
| 2024 | Standard Specifications for Construction | 641.1700 | PORTABLE CHANGEABLE MESSAGE SIGN RENTAL        | DAY      |
| 2024 | Standard Specifications for Construction | 641.1800 | PORTABLE ARROW BOARD RENTAL                    | DAY      |
| 2024 | Standard Specifications for Construction | 641.2100 | TEMPORARY TRAFFIC CONTROL SIGNAL SYSTEM, FIXED | EACH     |
|      |  |          |  |          |

|      |  |             |  | ·           |
|------|--|-------------|--|-------------|
| 2024 | Standard Specifications for Construction | 641.2200    | TEMPORARY TRAFFIC CONTROL SIGNAL SYSTEM, PORTABLE  | EACH        |
| 2024 | Standard Specifications for Construction | 641.2200001 |  | EACH        |
| 2024 | Standard Specifications for Construction | 646.2010    | 4 INCH WHITE LINE, WATERBORNE PAINT                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.2111    | 4 INCH YELLOW LINE, WATERBORNE PAINT               | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.2141    | 6 INCH WHITE LINE, WATERBORNE PAINT                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.2151    | 6 INCH YELLOW LINE, WATERBORNE PAINT               | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.2210    | 8 INCH WHITE LINE, WATERBORNE PAINT                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.2310    | 8 INCH YELLOW LINE, WATERBORNE PAINT               | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.2410    | 12 INCH WHITE LINE, WATERBORNE PAINT               | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.2510    | 12 INCH YELLOW LINE, WATERBORNE PAINT              | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.2610    | 24 INCH STOP BAR, WATERBORNE PAINT                 | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.3010    | LETTER OR SYMBOL, WATERBORNE PAINT                 | EACH        |
| 2024 | Standard Specifications for Construction | 646.3110    | CROSSWALK MARKING, WATERBORNE PAINT                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.3210    | RAILROAD CROSSING SYMBOL, WATERBORNE<br>PAINT      | EACH        |
| 2024 | Standard Specifications for Construction | 646.4020    | DURABLE 4 INCH WHITE LINE, THERMOPLASTIC           | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4030    | DURABLE 4 INCH WHITE LINE, EPOXY PAINT             | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4040    | DURABLE 4 INCH WHITE LINE, POLYUREA                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4060    | DURABLE 4 INCH WHITE LINE, RECESSED POLYUREA       | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4071    | DURABLE 4 INCH WHITE LINE, RECESSED TYPE A TAPE    | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4072    | DURABLE 4 INCH WHITE LINE, RECESSED TYPE B TAPE    | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4080    | DURABLE 4 INCH WHITE LINE, RECESSED THERMOPLASTIC  | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4090    | DURABLE 4 INCH WHITE LINE, RECESSED EPOXY PAINT    | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4120    | DURABLE 4 INCH YELLOW LINE, THERMOPLASTIC          | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4130    | DURABLE 4 INCH YELLOW LINE, EPOXY PAINT            | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4140    | DURABLE 4 INCH YELLOW LINE, POLYUREA               | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4160    | DURABLE 4 INCH YELLOW LINE, RECESSED POLYUREA      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4171    | DURABLE 4 INCH YELLOW LINE, RECESSED TYPE A TAPE   | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4172    | DURABLE 4 INCH YELLOW LINE, RECESSED TYPE B TAPE   | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4180    | DURABLE 4 INCH YELLOW LINE, RECESSED THERMOPLASTIC | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4190    | DURABLE 4 INCH YELLOW LINE, RECESSED EPOXY PAINT   | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4220    | DURABLE 6 INCH WHITE LINE, THERMOPLASTIC           | LINEAR FOOT |
|      |  |             |  |             |

| 2024 | Standard Specifications for Construction | 646.4230 | DURABLE 6 INCH WHITE LINE, EPOXY PAINT               | LINEAR FOOT |
|------|--|----------|--|-------------|
| 2024 | Standard Specifications for Construction | 646.4240 | DURABLE 6 INCH WHITE LINE, POLYUREA                  | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4260 | DURABLE 6 INCH WHITE LINE, RECESSED POLYUREA         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4271 | DURABLE 6 INCH WHITE LINE, RECESSED TYPE A TAPE      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4272 | DURABLE 6 INCH WHITE LINE, RECESSED TYPE B TAPE      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4280 | DURABLE 6 INCH WHITE LINE, RECESSED THERMOPLASTIC    | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4290 | DURABLE 6 INCH WHITE LINE, RECESSED EPOXY<br>PAINT   | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4320 | DURABLE 6 INCH YELLOW LINE, THERMOPLASTIC            | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4330 | DURABLE 6 INCH YELLOW LINE, EPOXY PAINT              | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4340 | DURABLE 6 INCH YELLOW LINE, POLYUREA                 | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4360 | DURABLE 6 INCH YELLOW LINE, RECESSED POLYUREA        | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4371 | DURABLE 6 INCH YELLOW LINE, RECESSED TYPE<br>A TAPE  | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4372 | DURABLE 6 INCH YELLOW LINE, RECESSED TYPE<br>B TAPE  | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4380 | DURABLE 6 INCH YELLOW LINE, RECESSED THERMOPLASTIC   | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4390 | DURABLE 6 INCH YELLOW LINE, RECESSED EPOXY PAINT     | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4420 | DURABLE 8 INCH WHITE LINE, THERMOPLASTIC             | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4430 | DURABLE 8 INCH WHITE LINE, EPOXY PAINT               | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4440 | DURABLE 8 INCH WHITE LINE, POLYUREA                  | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4460 | DURABLE 8 INCH WHITE LINE, RECESSED POLYUREA         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4471 | DURABLE 8 INCH WHITE LINE, RECESSED TYPE A TAPE      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4472 | DURABLE 8 INCH WHITE LINE, RECESSED TYPE B<br>TAPE   | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4480 | DURABLE 8 INCH WHITE LINE, RECESSED<br>THERMOPLASTIC | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4490 | DURABLE 8 INCH WHITE LINE, RECESSED EPOXY<br>PAINT   | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4520 | DURABLE 8 INCH YELLOW LINE, THERMOPLASTIC            | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4530 | DURABLE 8 INCH YELLOW LINE, EPOXY PAINT              | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4540 | DURABLE 8 INCH YELLOW LINE, POLYUREA                 | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4560 | DURABLE 8 INCH YELLOW LINE, RECESSED POLYUREA        | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4571 | DURABLE 8 INCH YELLOW LINE, RECESSED TYPE A TAPE     | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4572 | DURABLE 8 INCH YELLOW LINE, RECESSED TYPE B TAPE     | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4580 | DURABLE 8 INCH YELLOW LINE, RECESSED THERMOPLASTIC   | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4590 | DURABLE 8 INCH YELLOW LINE, RECESSED EPOXY PAINT     | LINEAR FOOT |
|      |  |          |  |             |

| 2024 | Standard Specifications for Construction | 646.4620 | DURABLE 12 INCH WHITE LINE, THERMOPLASTIC             | LINEAR FOOT |
|------|--|----------|---|-------------|
| 2024 | Standard Specifications for Construction | 646.4630 | DURABLE 12 INCH WHITE LINE, EPOXY PAINT               | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4640 | DURABLE 12 INCH WHITE LINE, POLYUREA                  | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4660 | DURABLE 12 INCH WHITE LINE, RECESSED POLYUREA         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4671 | DURABLE 12 INCH WHITE LINE, RECESSED TYPE A TAPE      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4672 | DURABLE 12 INCH WHITE LINE, RECESSED TYPE B TAPE      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4680 | DURABLE 12 INCH WHITE LINE, RECESSED<br>THERMOPLASTIC | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4690 | DURABLE 12 INCH WHITE LINE, RECESSED EPOXY<br>PAINT   | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4720 | DURABLE 12 INCH YELLOW LINE,<br>THERMOPLASTIC         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4730 | DURABLE 12 INCH YELLOW LINE, EPOXY PAINT              | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4740 | DURABLE 12 INCH YELLOW LINE, POLYUREA                 | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4760 | DURABLE 12 INCH YELLOW LINE, RECESSED POLYUREA        | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4771 | DURABLE 12 INCH YELLOW LINE, RECESSED TYPE A TAPE     | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4772 | DURABLE 12 INCH YELLOW LINE, RECESSED TYPE B TAPE     | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4780 | DURABLE 12 INCH YELLOW LINE, RECESSED THERMOPLASTIC   | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4790 | DURABLE 12 INCH YELLOW LINE, RECESSED<br>EPOXY PAINT  | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4820 | DURABLE 24 INCH STOP BAR, THERMOPLASTIC               | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4830 | DURABLE 24 INCH STOP BAR, EPOXY PAINT                 | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4840 | DURABLE 24 INCH STOP BAR, POLYUREA                    | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4860 | DURABLE 24 INCH STOP BAR, RECESSED POLYUREA           | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4871 | DURABLE 24 INCH STOP BAR, RECESSED TYPE A TAPE        | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4872 | DURABLE 24 INCH STOP BAR, RECESSED TYPE B TAPE        | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4880 | DURABLE 24 INCH STOP BAR, RECESSED THERMOPLASTIC      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4890 | DURABLE 24 INCH STOP BAR, RECESSED EPOXY PAINT        | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.4920 | DURABLE LETTER OR SYMBOL, THERMOPLASTIC               | EACH        |
| 2024 | Standard Specifications for Construction | 646.4930 | DURABLE LETTER OR SYMBOL, EPOXY PAINT                 | EACH        |
| 2024 | Standard Specifications for Construction | 646.4940 | DURABLE LETTER OR SYMBOL, POLYUREA                    | EACH        |
| 2024 | Standard Specifications for Construction | 646.4960 | DURABLE LETTER OR SYMBOL, RECESSED POLYUREA           | EACH        |
| 2024 | Standard Specifications for Construction | 646.4971 | DURABLE LETTER OR SYMBOL, RECESSED TYPE A TAPE        | EACH        |
| 2024 | Standard Specifications for Construction | 646.4972 | DURABLE LETTER OR SYMBOL, RECESSED TYPE B TAPE        | EACH        |
| 2024 | Standard Specifications for Construction | 646.4980 | DURABLE LETTER OR SYMBOL, RECESSED THERMOPLASTIC      | EACH        |
|      |  |          |   |             |

| 2024 | Standard Specifications for Construction | 646.4990 | DURABLE LETTER OR SYMBOL, RECESSED EPOXY PAINT              | EACH        |
|------|--|----------|---|-------------|
| 2024 | Standard Specifications for Construction | 646.5020 | DURABLE CROSSWALK MARKING,<br>THERMOPLASTIC                 | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.5030 | DURABLE CROSSWALK MARKING, EPOXY PAINT                      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.5040 | DURABLE CROSSWALK MARKING, POLYUREA                         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.5060 | DURABLE CROSSWALK MARKING, RECESSED POLYUREA                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.5071 | DURABLE CROSSWALK MARKING, RECESSED TYPE A TAPE             | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.5072 | DURABLE CROSSWALK MARKING, RECESSED TYPE B TAPE             | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.5080 | DURABLE CROSSWALK MARKING, RECESSED THERMOPLASTIC           | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.5090 | DURABLE CROSSWALK MARKING, RECESSED EPOXY PAINT             | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.5120 | DURABLE RAILROAD CROSSING SYMBOL,<br>THERMOPLASTIC          | EACH        |
| 2024 | Standard Specifications for Construction | 646.5130 | DURABLE RAILROAD CROSSING SYMBOL, EPOXY PAINT               | EACH        |
| 2024 | Standard Specifications for Construction | 646.5140 | DURABLE RAILROAD CROSSING SYMBOL, POLYUREA                  | EACH        |
| 2024 | Standard Specifications for Construction | 646.5160 | DURABLE RAILROAD CROSSING SYMBOL, RECESSED POLYUREA         | EACH        |
| 2024 | Standard Specifications for Construction | 646.5171 | DURABLE RAILROAD CROSSING SYMBOL,<br>RECESSED TYPE A TAPE   | EACH        |
| 2024 | Standard Specifications for Construction | 646.5172 | DURABLE RAILROAD CROSSING SYMBOL,<br>RECESSED TYPE B TAPE   | EACH        |
| 2024 | Standard Specifications for Construction | 646.5180 | DURABLE RAILROAD CROSSING SYMBOL,<br>RECESSED THERMOPLASTIC | EACH        |
| 2024 | Standard Specifications for Construction | 646.5190 | DURABLE RAILROAD CROSSING SYMBOL,<br>RECESSED EPOXY PAINT   | EACH        |
| 2024 | Standard Specifications for Construction | 646.6000 | TEMPORARY 4 INCH WHITE LINE                                 | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.6012 | TEMPORARY 4 INCH WHITE LINE, TYPE C TAPE                    | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.6020 | TEMPORARY 4 INCH WHITE LINE, PAINT                          | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.6100 | TEMPORARY 4 INCH YELLOW LINE                                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.6112 | TEMPORARY 4 INCH YELLOW LINE, TYPE C TAPE                   | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.6120 | TEMPORARY 4 INCH YELLOW LINE, PAINT                         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.6200 | TEMPORARY 6 INCH WHITE LINE                                 | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.6212 | TEMPORARY 6 INCH WHITE LINE, TYPE C TAPE                    | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.6220 | TEMPORARY 6 INCH WHITE LINE, PAINT                          | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.6300 | TEMPORARY 6 INCH YELLOW LINE                                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.6312 | TEMPORARY 6 INCH YELLOW LINE, TYPE C TAPE                   | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.6320 | TEMPORARY 6 INCH YELLOW LINE, PAINT                         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.6400 | TEMPORARY 8 INCH WHITE LINE                                 | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.6412 | TEMPORARY 8 INCH WHITE LINE, TYPE C TAPE                    | LINEAR FOOT |
|      |  |          |   |             |

| 2024 | Standard Specifications for Construction | 646.6420 | TEMPORARY 8 INCH WHITE LINE, PAINT                 | LINEAR FOOT |
|------|--|----------|--|-------------|
| 2024 | Standard Specifications for Construction | 646.6500 | TEMPORARY 8 INCH YELLOW LINE                       | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.6512 | TEMPORARY 8 INCH YELLOW LINE, TYPE C TAPE          | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.6520 | TEMPORARY 8 INCH YELLOW LINE, PAINT                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.6600 | TEMPORARY 12 INCH WHITE LINE                       | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.6612 | TEMPORARY 12 INCH WHITE LINE, TYPE C TAPE          | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.6620 | TEMPORARY 12 INCH WHITE LINE, PAINT                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.6700 | TEMPORARY 12 INCH YELLOW LINE                      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.6712 | TEMPORARY 12 INCH YELLOW LINE, TYPE C TAPE         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.6720 | TEMPORARY 12 INCH YELLOW LINE, PAINT               | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.6800 | TEMPORARY 24 INCH STOP BAR                         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.6812 | TEMPORARY 24 INCH STOP BAR, TYPE C TAPE            | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.6820 | TEMPORARY 24 INCH STOP BAR, PAINT                  | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.6900 | TEMPORARY LETTER OR SYMBOL                         | EACH        |
| 2024 | Standard Specifications for Construction | 646.6912 | TEMPORARY LETTER OR SYMBOL, TYPE C TAPE            | EACH        |
| 2024 | Standard Specifications for Construction | 646.6920 | TEMPORARY LETTER OR SYMBOL, PAINT                  | EACH        |
| 2024 | Standard Specifications for Construction | 646.7000 | TEMPORARY CROSSWALK MARKING                        | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.7012 | TEMPORARY CROSSWALK MARKING, TYPE C TAPE           | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.7020 | TEMPORARY CROSSWALK MARKING, PAINT                 | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.7100 | TEMPORARY RAILROAD CROSSING SYMBOL                 | EACH        |
| 2024 | Standard Specifications for Construction | 646.7112 | TEMPORARY RAILROAD CROSSING SYMBOL,<br>TYPE C TAPE | EACH        |
| 2024 | Standard Specifications for Construction | 646.7120 | TEMPORARY RAILROAD CROSSING SYMBOL, PAINT          | EACH        |
| 2024 | Standard Specifications for Construction | 646.7600 | LINE STRIPING TARGETS                              | EACH        |
| 2024 | Standard Specifications for Construction | 646.8100 | PAINTED CURB                                       | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 646.8200 | PAINTED ISLAND                                     | SQUARE FOOT |
| 2024 | Standard Specifications for Construction | 646.8500 | REMOVAL OF EXISTING PAVEMENT MARKINGS              | SQUARE FOOT |
| 2024 | Standard Specifications for Construction | 646.8600 | PAVEMENT MARKING MASK                              | SQUARE FOOT |
| 2024 | Standard Specifications for Construction | 646.9000 | COLORED PAVEMENT MARKINGS                          | SQUARE FOOT |
| 2024 | Standard Specifications for Construction | 646.9001 | COLORED PAVEMENT MARKINGS, GREEN                   | SQUARE FOOT |
| 2024 | Standard Specifications for Construction | 649.1100 | GEOTEXTILE FOR ROADBED SEPARATOR                   | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 649.2100 | GEOTEXTILE UNDER RAILROAD BALLAST                  | SQUARE YARD |
|      |  |          |  |             |

| 2024 | Standard Specifications for Construction | 649.3100 | GEOTEXTILE UNDER STONE FILL             | SQUARE YARD |
|------|--|----------|---|-------------|
| 2024 | Standard Specifications for Construction | 649.4100 | GEOTEXTILE FOR UNDERDRAIN TRENCH LINING | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 651.1500 | TURF ESTABLISHMENT, GENERAL SEED        | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 651.1600 | TURF ESTABLISHMENT, SPECIALTY SEED      | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 651.1700 | TURF ESTABLISHMENT, TEMPORARY SEED      | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 651.1800 | TURF ESTABLISHMENT, SOD                 | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 651.3500 | TOPSOIL                                 | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 651.4000 | GRUBBING MATERIAL                       | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 651.4002 | GRUBBING MATERIAL, 2 INCH               | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 651.4006 | GRUBBING MATERIAL, 6 INCH               | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 651.4012 | GRUBBING MATERIAL, 12 INCH              | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 653.0100 | EPSC PLAN                               | LUMP SUM    |
| 2024 | Standard Specifications for Construction | 653.0200 | MONITORING EPSC PLAN                    | HOUR        |
| 2024 | Standard Specifications for Construction | 653.0300 | MAINTENANCE OF EPSC PLAN (N.A.B.I.)     | DOLLAR      |
| 2024 | Standard Specifications for Construction | 653.1000 | HAY MULCH                               | TON         |
| 2024 | Standard Specifications for Construction | 653.1100 | HYDRAULIC MULCH                         | GALLON      |
| 2024 | Standard Specifications for Construction | 653.1200 | STRAW MULCH                             | TON         |
| 2024 | Standard Specifications for Construction | 653.2001 | ROLLED EROSION CONTROL PRODUCT, TYPE I  | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 653.2002 | ROLLED EROSION CONTROL PRODUCT, TYPE II | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 653.2501 | CHECK DAM, TYPE I                       | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 653.2502 | CHECK DAM, TYPE II                      | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 653.2503 | CHECK DAM, TYPE III                     | EACH        |
| 2024 | Standard Specifications for Construction | 653.3500 | STABILIZED CONSTRUCTION ENTRANCE        | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 653.4001 | INLET PROTECTION DEVICE, TYPE I         | EACH        |
| 2024 | Standard Specifications for Construction | 653.4002 | INLET PROTECTION DEVICE, TYPE II        | EACH        |
| 2024 | Standard Specifications for Construction | 653.4003 | INLET PROTECTION DEVICE, TYPE III       | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 653.4500 | FILTER BAG                              | EACH        |
| 2024 | Standard Specifications for Construction | 653.4701 | SILT FENCE, TYPE I                      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 653.4702 | SILT FENCE, TYPE II                     | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 653.5000 | BARRIER FENCE                           | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 653.5500 | PROJECT DEMARCATION FENCE               | LINEAR FOOT |
|      |  |          |   |             |

| 2024 | Standard Specifications for Construction | 653.6000 | EROSION LOG                    | LINEAR FOOT |
|------|--|----------|--------------------------------|-------------|
| 2024 | Standard Specifications for Construction | 654.0010 | DRY SWALE                      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 654.0015 | DRY SWALE WITH UNDERDRAIN      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 654.0020 | GRAVEL WETLAND                 | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 654.0030 | SURFACE SAND FILTER            | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 654.0040 | UNDERGROUND SAND FILTER        | EACH        |
| 2024 | Standard Specifications for Construction | 654.0050 | MEDIA FILTER DRAIN             | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 654.0060 | BIORETENTION AREA              | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 654.0070 | STONE DIAPHRAGM                | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 655.0010 | STREAM HABITAT BOULDERS        | LUMP SUM    |
| 2024 | Standard Specifications for Construction | 655.0020 | WILDLIFE GUIDE FENCE           | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 655.0030 | WILDLIFE SHELF                 | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 655.0040 | WILDLIFE HABITAT COVER         | LUMP SUM    |
| 2024 | Standard Specifications for Construction | 655.0050 | NESTING BOX                    | EACH        |
| 2024 | Standard Specifications for Construction | 655.0060 | BAT ROOSTING FEATURE           | EACH        |
| 2024 | Standard Specifications for Construction | 655.0070 | WILDLIFE EXCLUSIONARY MEASURES | LUMP SUM    |
| 2024 | Standard Specifications for Construction | 656.1000 | LIVE FASCINES                  | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 656.1100 | LIVE STAKES                    | EACH        |
| 2024 | Standard Specifications for Construction | 656.1200 | TUBELINGS                      | EACH        |
| 2024 | Standard Specifications for Construction | 656.2001 | EVERGREEN TREES, SMALL         | EACH        |
| 2024 | Standard Specifications for Construction | 656.2002 | EVERGREEN TREES, MEDIUM        | EACH        |
| 2024 | Standard Specifications for Construction | 656.2003 | EVERGREEN TREES, LARGE         | EACH        |
| 2024 | Standard Specifications for Construction | 656.2500 | EVERGREEN SHRUBS               | EACH        |
| 2024 | Standard Specifications for Construction | 656.3001 | DECIDUOUS TREES, SMALL         | EACH        |
| 2024 | Standard Specifications for Construction | 656.3002 | DECIDUOUS TREES, MEDIUM        | EACH        |
| 2024 | Standard Specifications for Construction | 656.3003 | DECIDUOUS TREES, LARGE         | EACH        |
| 2024 | Standard Specifications for Construction | 656.3500 | DECIDUOUS SHRUBS               | EACH        |
| 2024 | Standard Specifications for Construction | 656.4000 | GROUND COVERS AND VINES        | EACH        |
| 2024 | Standard Specifications for Construction | 656.4100 | PERENNIALS                     | EACH        |
| 2024 | Standard Specifications for Construction | 656.4500 | TRANSPLANTING TREES            | EACH        |
| 2024 | Standard Specifications for Construction | 656.5000 | TRANSPLANTING SHRUBS           | EACH        |

| 2024 | Standard Specifications for Construction | 656.5500    | TRANSPLANTING GROUND COVER                           | SQUARE YARD      |
|------|--|-------------|--|------------------|
| 2024 | Standard Specifications for Construction | 656.6500    | LANDSCAPE WATERING                                   | THOUSAND GALLONS |
| 2024 | Standard Specifications for Construction | 656.6500001 | REMOVE AND RESET PRIVATE IRRIGATION SYSTEM           | EACH             |
| 2024 | Standard Specifications for Construction | 656.8000    | LANDSCAPE BACKFILL, TRUCK MEASUREMENT                | CUBIC YARD       |
| 2024 | Standard Specifications for Construction | 656.8500    | TREE PROTECTION                                      | LUMP SUM         |
| 2024 | Standard Specifications for Construction | 662.0010    | RAILROAD BALLAST                                     | TON              |
| 2024 | Standard Specifications for Construction | 662.0110    | REMOVE AND REPLACE BRIDGE TIES                       | EACH             |
| 2024 | Standard Specifications for Construction | 662.0120    | REMOVE AND REPLACE CROSS TIES                        | EACH             |
| 2024 | Standard Specifications for Construction | 662.0130    | REMOVE AND REPLACE SWITCH TIES                       | LINEAR FOOT      |
| 2024 | Standard Specifications for Construction | 662.0200    | REMOVE AND REPLACE JOINTED RAIL                      | LINEAR FOOT      |
| 2024 | Standard Specifications for Construction | 662.0250    | REMOVE AND RESET JOINTED RAILROAD TRACK              | LINEAR FOOT      |
| 2024 | Standard Specifications for Construction | 662.0300    | REMOVE RAILROAD TRACK                                | LINEAR FOOT      |
| 2024 | Standard Specifications for Construction | 662.0350    | BALLASTED TRACK CONSTRUCTION WITH JOINTED RAIL       | LINEAR FOOT      |
| 2024 | Standard Specifications for Construction | 662.0360    | BALLASTED TRACK CONSTRUCTION WITH CWR                | LINEAR FOOT      |
| 2024 | Standard Specifications for Construction | 662.0400    | REMOVE JOINTED RAIL AND INSTALL CWR                  | LINEAR FOOT      |
| 2024 | Standard Specifications for Construction | 662.0410    | RAISE, ALIGN, AND SURFACE TRACK                      | LINEAR FOOT      |
| 2024 | Standard Specifications for Construction | 662.0450    | GAGING TRACK   | LINEAR FOOT      |
| 2024 | Standard Specifications for Construction | 663.0100    | RECONSTRUCT RAILROAD-HIGHWAY GRADE CROSSING          | LUMP SUM         |
| 2024 | Standard Specifications for Construction | 663.0200    | PRECAST CONCRETE PANEL GRADE CROSSING SYSTEM         | LUMP SUM         |
| 2024 | Standard Specifications for Construction | 663.0250    | PRECAST CONCRETE PANEL GRADE CROSSING SURFACE REPAIR | EACH             |
| 2024 | Standard Specifications for Construction | 663.0270    | RUBBER RAIL SEAL                                     | LINEAR FOOT      |
| 2024 | Standard Specifications for Construction | 664.1000    | RAILROAD-HIGHWAY CROSSING ACTIVE<br>WARNING SYSTEM   | LUMP SUM         |
| 2024 | Standard Specifications for Construction | 665.0100    | RAILROAD TURNOUT                                     | EACH             |
| 2024 | Standard Specifications for Construction | 665.0108    | RAILROAD TURNOUT, NO. 8                              | EACH             |
| 2024 | Standard Specifications for Construction | 665.0110    | RAILROAD TURNOUT, NO. 10                             | EACH             |
| 2024 | Standard Specifications for Construction | 665.0200    | REMOVAL OF RAILROAD TURNOUT                          | EACH             |
| 2024 | Standard Specifications for Construction | 665.0300    | REMOVE AND RESET RAILROAD TURNOUT                    | EACH             |
| 2024 | Standard Specifications for Construction | 665.0500    | RAISE, ALIGN, AND SURFACE TURNOUT                    | EACH             |
| 2024 | Standard Specifications for Construction | 665.0550    | RAISE, ALIGN, AND SURFACE CROSSOVER                  | EACH             |
| 2024 | Standard Specifications for Construction | 667.0010    | REMOVE AND REPLACE JOINT BAR SETS                    | EACH             |
| 2024 | Standard Specifications for Construction | 667.0015    | COMPROMISE JOINT BAR SETS                            | EACH             |
|      |  |             |  |                  |

| 2024 | Standard Specifications for Construction | 667.0020    | INSULATED JOINTS   | EACH        |
|------|--|-------------|--|-------------|
| 2024 | Standard Specifications for Construction | 667.0020001 | FACTORY BONDED INSULATED JOINTS                                | EACH        |
| 2024 | Standard Specifications for Construction | 667.0100    | REMOVE AND REPLACE TIE PLATES                                  | EACH        |
| 2024 | Standard Specifications for Construction | 675.2000    | TRAFFIC SIGN, FLAT SHEET ALUMINUM                              | SQUARE FOOT |
| 2024 | Standard Specifications for Construction | 675.2000001 | RETROREFLECTIVE SIGN POST STRIP                                | EACH        |
| 2024 | Standard Specifications for Construction | 675.2100    | TRAFFIC SIGN, EXTRUDED ALUMINUM                                | SQUARE FOOT |
| 2024 | Standard Specifications for Construction | 675.3100    | W-SHAPE STEEL SIGN POST  | POUND       |
| 2024 | Standard Specifications for Construction | 675.3300    | TUBULAR STEEL SIGN POST  | POUND       |
| 2024 | Standard Specifications for Construction | 675.3410    | SQUARE TUBE SIGN POST AND ANCHOR                               | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 675.3500    | SOIL BEARING SLIP BASE   | EACH        |
| 2024 | Standard Specifications for Construction | 675.4100    | FOUNDATION FOR W-SHAPE STEEL POST, 24 INCH<br>DIAMETER         | EACH        |
| 2024 | Standard Specifications for Construction | 675.4200    | FOUNDATION FOR W-SHAPE STEEL POST, 30 INCH<br>DIAMETER         | EACH        |
| 2024 | Standard Specifications for Construction | 675.4300    | FOUNDATION FOR TUBULAR STEEL POST                              | EACH        |
| 2024 | Standard Specifications for Construction | 675.5000    | SIGN REMOVAL, FLAT SHEET ALUMINUM                              | EACH        |
| 2024 | Standard Specifications for Construction | 675.5100    | SIGN REMOVAL, EXTRUDED ALUMINUM                                | EACH        |
| 2024 | Standard Specifications for Construction | 675.6000    | RESETTING SIGNS  | EACH        |
| 2024 | Standard Specifications for Construction | 675.6100    | SETTING SALVAGED POSTS   | EACH        |
| 2024 | Standard Specifications for Construction | 676.1000    | DELINEATOR WITH STEEL POST                                     | EACH        |
| 2024 | Standard Specifications for Construction | 676.1200    | REMOVAL OF EXISTING DELINEATOR AND POST                        | EACH        |
| 2024 | Standard Specifications for Construction | 676.1500    | REMOVE AND REPLACE DELINEATOR                                  | EACH        |
| 2024 | Standard Specifications for Construction | 676.2000    | DELINEATOR WITH FLEXIBLE POST                                  | EACH        |
| 2024 | Standard Specifications for Construction | 677.1200    | OVERHEAD TRAFFIC SIGN SUPPORT, CANTILEVER                      | EACH        |
| 2024 | Standard Specifications for Construction | 677.1300    | OVERHEAD TRAFFIC SIGN SUPPORT, MULTI-<br>SUPPORT               | EACH        |
| 2024 | Standard Specifications for Construction | 677.1300001 | BRIDGE-MOUNTED OVERHEAD TRAFFIC SIGN SUPPORT                   | EACH        |
| 2024 | Standard Specifications for Construction | 677.2200    | OVERHEAD TRAFFIC SIGN SUPPORT, CANTILEVER WITH LIGHTING        | EACH        |
| 2024 | Standard Specifications for Construction | 677.2300    | OVERHEAD TRAFFIC SIGN SUPPORT, MULTI-<br>SUPPORT WITH LIGHTING | EACH        |
| 2024 | Standard Specifications for Construction | 677.2500    | REMOVE AND RESET OVERHEAD TRAFFIC SIGN SUPPORT                 | EACH        |
| 2024 | Standard Specifications for Construction | 677.3000    | REMOVE EXISTING OVERHEAD SIGN ASSEMBLY, CANTILEVER             | EACH        |
| 2024 | Standard Specifications for Construction | 677.3500    | REMOVE EXISTING OVERHEAD SIGN ASSEMBLY, MULTI-SUPPORT          | EACH        |
| 2024 | Standard Specifications for Construction | 678.1000    | REMOVAL OF EXISTING TRAFFIC CONTROL SIGNAL SYSTEM              | EACH        |
| 2024 | Standard Specifications for Construction | 678.2005    | CABINET ASSEMBLY   | EACH        |
|      |  |             |  |             |

| 2024 | Standard Specifications for Construction | 678.2005001 | NATURAL GAS-POWERED BACKUP GENERATOR    | EACH        |
|------|--|-------------|---|-------------|
| 2024 | Standard Specifications for Construction | 678.2010    | MAST ARM POLE FOUNDATION                | EACH        |
| 2024 | Standard Specifications for Construction | 678.2015    | PEDESTAL POST ASSEMBLY                  | EACH        |
| 2024 | Standard Specifications for Construction | 678.2020    | PEDESTRIAN SIGNAL ASSEMBLY              | EACH        |
| 2024 | Standard Specifications for Construction | 678.2020001 | RRFB, AC-POWERED, SINGLE SIDED          | EACH        |
| 2024 | Standard Specifications for Construction | 678.2020002 | RRFB, AC-POWERED, DOUBLE SIDED          | EACH        |
| 2024 | Standard Specifications for Construction | 678.2020003 | RRFB, SOLAR-POWERED, SINGLE SIDED       | EACH        |
| 2024 | Standard Specifications for Construction | 678.2020004 | RRFB, SOLAR-POWERED, DOUBLE SIDED       | EACH        |
| 2024 | Standard Specifications for Construction | 678.2020005 | REMOVE RRFB SYSTEM                      | EACH        |
| 2024 | Standard Specifications for Construction | 678.2020006 | REMOVE AND RESET RRFB SYSTEM            | EACH        |
| 2024 | Standard Specifications for Construction | 678.2025    | TRAFFIC SIGNAL ASSEMBLY                 | EACH        |
| 2024 | Standard Specifications for Construction | 678.2030    | TRAFFIC SIGNAL HEAD ASSEMBLY            | EACH        |
| 2024 | Standard Specifications for Construction | 678.2035    | FLASHING BEACON, AERIAL MOUNTED         | EACH        |
| 2024 | Standard Specifications for Construction | 678.2040    | VEHICLE DETECTION SYSTEM                | EACH        |
| 2024 | Standard Specifications for Construction | 678.2045    | PAN-TILT-ZOOM CAMERA                    | EACH        |
| 2024 | Standard Specifications for Construction | 678.2050    | EMERGENCY VEHICLE PREEMPTION SYSTEM     | EACH        |
| 2024 | Standard Specifications for Construction | 679.2400    | REMOVE STREET LIGHT ASSEMBLY            | EACH        |
| 2024 | Standard Specifications for Construction | 679.2500    | REMOVE AND RESET LIGHT POLE             | EACH        |
| 2024 | Standard Specifications for Construction | 679.2600    | REMOVE AND RESET PRIVATE LIGHT ASSEMBLY | EACH        |
| 2024 | Standard Specifications for Construction | 679.4600    | STREET LIGHT ASSEMBLY                   | EACH        |
| 2024 | Standard Specifications for Construction | 679.4600001 | ORNAMENTAL STREET LIGHT ASSEMBLY        | EACH        |
| 2024 | Standard Specifications for Construction | 679.4600002 | ORNAMENTAL STREET LIGHT FOUNDATION      | EACH        |
| 2024 | Standard Specifications for Construction | 679.4700    | BRACKET ARM                             | EACH        |
| 2024 | Standard Specifications for Construction | 679.5000    | LUMINAIRE                               | EACH        |
| 2024 | Standard Specifications for Construction | 679.5400    | STREET LIGHTING CONTROL DEVICE          | EACH        |
| 2024 | Standard Specifications for Construction | 679.7000    | TEMPORARY STREET LIGHT ASSEMBLY         | EACH        |
| 2024 | Standard Specifications for Construction | 680.2000    | TRAVEL INFORMATION SIGN                 | SQUARE FOOT |
| 2024 | Standard Specifications for Construction | 680.2500    | BUSINESS DIRECTIONAL SIGN               | SQUARE FOOT |
| 2024 | Standard Specifications for Construction | 680.3000    | TRAVEL INFORMATION PLAZA                | EACH        |
| 2024 | Standard Specifications for Construction | 680.4000    | RELOCATE INFORMATION PLAZA              | EACH        |
| 2024 | Standard Specifications for Construction | 680.6500    | 6 INCH MAGNETIC INFORMATION PLAQUE      | EACH        |

| 2024 | Standard Specifications for Construction | 680.7000 | TRAVEL INFORMATION SYMBOL                                  | EACH        |
|------|--|----------|--|-------------|
| 2024 | Standard Specifications for Construction | 680.7200 | OVERLAY FOR TRAVEL INFORMATION SIGN                        | EACH        |
| 2024 | Standard Specifications for Construction | 681.1010 | REMOVE AND RELOCATE LANDSCAPE ITEMS                        | EACH        |
| 2024 | Standard Specifications for Construction | 681.1020 | REMOVE LANDSCAPE ITEMS                                     | EACH        |
| 2024 | Standard Specifications for Construction | 681.2010 | BICYCLE RACK   | EACH        |
| 2024 | Standard Specifications for Construction | 681.3010 | PARKING METER  | EACH        |
| 2024 | Standard Specifications for Construction | 681.3020 | REMOVE AND RESET PARKING METER                             | EACH        |
| 2024 | Standard Specifications for Construction | 681.3030 | PARKING METER POST AND SLEEVE                              | EACH        |
| 2024 | Standard Specifications for Construction | 681.3040 | REMOVE PARKING METER POST AND SLEEVE                       | EACH        |
| 2024 | Standard Specifications for Construction | 690.0300 | PRICE ADJUSTMENT, ASPHALT (N.A.B.I.)                       | DOLLAR      |
| 2024 | Standard Specifications for Construction | 690.0400 | PRICE ADJUSTMENT, FUEL (N.A.B.I.)                          | DOLLAR      |
| 2024 | Standard Specifications for Construction | 698.1000 | LUMP SUM PROJECT, ID/IQ                                    | LUMP SUM    |
| 2024 | Standard Specifications for Construction | 698.2000 | LUMP SUM PROJECT, JOC                                      | LUMP SUM    |
| 2024 | Standard Specifications for Construction | 699.0050 | C-100 CONTRACTOR QUALITY CONTROL<br>PROGRAM (CQCP)         | LUMP SUM    |
| 2024 | Standard Specifications for Construction | 699.0100 | C-102-5.1A TEMPORARY SEEDING AND MULCHING                  | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 699.0150 | C-102-5.1B TEMPORARY SLOPE DRAINS                          | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 699.0200 | C-102-5.1C TEMP. BENCHES, DIKES, DAMS, AND SEDIMENT BASINS | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 699.0250 | C-102-5.1D FERTILIZING                                     | TON         |
| 2024 | Standard Specifications for Construction | 699.0300 | C-102-5.1E INSTALLATION AND REMOVAL OF SILT FENCE          | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 699.0350 | C-105 MOBILIZATION   | LUMP SUM    |
| 2024 | Standard Specifications for Construction | 699.0400 | P-101-5.1 PAVEMENT REMOVAL                                 | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 699.0450 | P-101-5.2 JOINT AND CRACK REPAIR                           | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 699.0500 | P-101-5.3 REMOVAL OF FOREIGN<br>SUBSTANCES/CONTAMINANTS    | SQUARE FOOT |
| 2024 | Standard Specifications for Construction | 699.0550 | P-101-5.4 SPALLED AND FAILED ASPHALT<br>PAVEMENT REPAIR    | SQUARE FOOT |
| 2024 | Standard Specifications for Construction | 699.0600 | P-101-5.5 CONCRETE SPALL REPAIR                            | SQUARE FOOT |
| 2024 | Standard Specifications for Construction | 699.0650 | P-101-5.6 COLD MILLING                                     | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 699.0700 | P-101-5.7 REMOVAL OF PIPE AND OTHER BURIED STRUCTURES      | EACH        |
| 2024 | Standard Specifications for Construction | 699.0750 | P-151-4.1 CLEARING   | ACRE        |
| 2024 | Standard Specifications for Construction | 699.0800 | P-151-4.2 CLEARING AND GRUBBING                            | ACRE        |
| 2024 | Standard Specifications for Construction | 699.0850 | P-151-4.3 TREE REMOVAL                                     | EACH        |
| 2024 | Standard Specifications for Construction | 699.0900 | P-152-4.1 EXCAVATION                                       | CUBIC YARD  |
|      |  |          |  |             |

| 2024 | Standard Specifications for Construction | 699.0950 | P-152-4.2 EMBANKMENT   | CUBIC YARD  |
|------|--|----------|--|-------------|
| 2024 | Standard Specifications for Construction | 699.1000 | P-152-4.3 STOCKPILED MATERIAL                                  | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 699.1050 | P-153-6.1 CONTROLLED LOW-STRENGTH<br>MATERIAL (CLSM)           | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 699.1100 | P-154-5.1 SUBBASE COURSE                                       | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 699.1150 | P-154-5.2 SEPARATION GEOTEXTILE                                | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 699.1200 | P-155-8.1 LIME-TREATED SUBGRADE                                | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 699.1250 | P-155-8.2 LIME   | POUND       |
| 2024 | Standard Specifications for Construction | 699.1300 | P-156-8.1 CEMENT-TREATED SUBGRADE                              | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 699.1350 | P-157-8.1 KILN DUST-TREATED SUBGRADE                           | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 699.1400 | P-158-8.1 FLY ASH-TREATED SUBGRADE                             | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 699.1450 | P-207-5.1 FULL DEPTH RECYCLED ASPHALT<br>AGGREGATE BASE COURSE | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 699.1500 | P-207-5.2 FDR STABILIZING MATERIAL                             | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 699.1550 | P-208-5.1 AGGREGATE BASE COURSE                                | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 699.1600 | P-208-5.2 SEPARATION GEOTEXTILE                                | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 699.1650 | P-209-5.1 CRUSHED AGGREGATE BASE COURSE                        | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 699.1700 | P-209-5.2 SEPARATION GEOTEXTILE                                | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 699.1750 | P-210-5.1 CALICHE BASE COURSE                                  | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 699.1800 | P-210-5.2 SEPARATION GEOTEXTILE                                | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 699.1850 | P-211-5.1 LIME ROCK BASE COURSE                                | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 699.1900 | P-211-5.2 SEPARATION GEOTEXTILE                                | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 699.1950 | P-212-5.1 SHELL BASE COURSE                                    | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 699.2000 | P-212-5.2 SEPARATION GEOTEXTILE                                | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 699.2050 | P-213-5.1 SAND-CLAY BASE COURSE                                | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 699.2100 | P-213-5.2 SEPARATION GEOTEXTILE                                | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 699.2150 | P-217-5.1 SOIL AGGREGATE BASE COURSE                           | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 699.2200 | P-217-5.2 STABILIZER AGGREGATE                                 | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 699.2250 | P-217-5.3 CONDITIONING OPERATION                               | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 699.2300 | P-217-5.4 SEPARATION GEOTEXTILE                                | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 699.2350 | P-219-5.1 RECYCLED CONCRETE AGGREGATE<br>BASE COURSE           | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 699.2400 | P-219-5.2 SEPARATION GEOTEXTILE                                | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 699.2450 | P-220-6.1 CEMENT-TREATED SOIL BASE COURSE                      | SQUARE YARD |
|      |  |          |  |             |

| 2024 | Standard Specifications for Construction | 699.2500 | P-220-6.2 CEMENT  | TON         |
|------|--|----------|---|-------------|
| 2024 | Standard Specifications for Construction | 699.2550 | P-304-8.1 CEMENT-TREATED BASE COURSE                            | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 699.2600 | P-306-8.1 LEAN CONCRETE BASE COURSE                             | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 699.2650 | P-307 CEMENT-TREATED PERMEABLE BASE<br>COURSE (CTPB)            | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 699.2700 | P-401-8.1 ASPHALT COURSE  | TON         |
| 2024 | Standard Specifications for Construction | 699.2750 | P-403-8.1 ASPHALT MIXTURE COURSE                                | TON         |
| 2024 | Standard Specifications for Construction | 699.2800 | P-404-8.1 FUEL-RESISTANT ASPHALT MIX<br>PAVEMENT SURFACE COURSE | TON         |
| 2024 | Standard Specifications for Construction | 699.2850 | P-501-8.1 CONCRETE PAVEMENT                                     | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 699.2900 | P-608-8.1 ASPHALT SURFACE TREATMENT                             | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 699.2950 | P-608-8.2 RUNWAY AND EXIT TAXIWAY FRICTION TESTING              | LUMP SUM    |
| 2024 | Standard Specifications for Construction | 699.3000 | P-608-R-8.1 RAPID CURE ASPHALT SURFACE<br>TREATMENT             | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 699.3050 | P-608-R-8.2 RUNWAY AND EXIT TAXIWAY FRICTION TESTING            | LUMP SUM    |
| 2024 | Standard Specifications for Construction | 699.3100 | P-609-5.1 ASPHALT MATERIAL                                      | GALLON      |
| 2024 | Standard Specifications for Construction | 699.3150 | P-609-5.2 CHIP SEAL COAT APPLICATION                            | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 699.3200 | P-623-8.1 SEAL COAT   | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 699.3250 | P-626-6.1 EMULSIFIED ASPHALT FOR SLURRY<br>COAT                 | GALLON      |
| 2024 | Standard Specifications for Construction | 699.3300 | P-626-6.2 AGGREGATE   | TON         |
| 2024 | Standard Specifications for Construction | 699.3350 | P-626-6.3 EMULSIFIED ASPHALT FOR TACK COAT                      | GALLON      |
| 2024 | Standard Specifications for Construction | 699.3400 | P-629-8.1 THERMOPLASTIC COAL TAR EMULSION                       | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 699.3450 | P-629-8.2 RUNWAY AND EXIT TAXIWAY FRICTION TESTING              | LUMP SUM    |
| 2024 | Standard Specifications for Construction | 699.3500 | P-630-7.1 REFINED COAL TAR EMULSION FOR<br>SLURRY COAT          | GALLON      |
| 2024 | Standard Specifications for Construction | 699.3550 | P-630-7.2 AGGREGATE   | TON         |
| 2024 | Standard Specifications for Construction | 699.3600 | P-631-7.1 REFINED COAL TAR EMULSION FOR<br>SLURRY COAT          | GALLON      |
| 2024 | Standard Specifications for Construction | 699.3650 | P-631-7.2 AGGREGATE   | TON         |
| 2024 | Standard Specifications for Construction | 699.3700 | P-632-8.1 ASPHALT REJUVINATION                                  | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 699.3750 | P-632-8.2 FRICTION TESTS  | LUMP SUM    |
| 2024 | Standard Specifications for Construction | 699.3800 | P-602-5.1 EMULSIFIED ASPHALT PRIME COAT                         | GALLON      |
| 2024 | Standard Specifications for Construction | 699.3850 | P-603-5.1 EMULSIFIED ASPHALT TACK COAT                          | GALLON      |
| 2024 | Standard Specifications for Construction | 699.3900 | P-604-6.1 COMPRESSION JOINT SEALS FOR<br>CONCRETE PAVEMENTS     | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 699.3950 | P-605-5.1 JOINT SEALING FILLER                                  | GALLON      |
| 2024 | Standard Specifications for Construction | 699.4000 | P-606-5.1 ADHESIVE COMPOUND                                     | GALLON      |

| 2024 | Standard Specifications for Construction | 699.4050 | P-610-6.1 CONCRETE                              | CUBIC YARD  |
|------|--|----------|---|-------------|
| 2024 | Standard Specifications for Construction | 699.4100 | P-620-5.1A SURFACE PREPARATION                  | SQUARE FOOT |
| 2024 | Standard Specifications for Construction | 699.4150 | P-620-5.2B MARKING                              | SQUARE FOOT |
| 2024 | Standard Specifications for Construction | 699.4200 | P-620-5.3C REFLECTIVE MEDIA                     | POUND       |
| 2024 | Standard Specifications for Construction | 699.4250 | P-620-5.4D TEMPORARY RUNWAY AND TAXIWAY MARKING | SQUARE FOOT |
| 2024 | Standard Specifications for Construction | 699.4300 | P-620-5.5E PREFORMED MARKINGS                   | SQUARE FOOT |
| 2024 | Standard Specifications for Construction | 699.4350 | P-621-5.1 GROOVING                              | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 699.4400 | F-160-5.1A FENCE, CLASS A                       | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 699.4450 | F-160-5.1B FENCE, CLASS B                       | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 699.4500 | F-160-5.2A VEHICLE GATES                        | EACH        |
| 2024 | Standard Specifications for Construction | 699.4550 | F-160-5.2B PEDESTRIAN GATES                     | EACH        |
| 2024 | Standard Specifications for Construction | 699.4600 | F-161-5.1A FENCE, CLASS C                       | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 699.4650 | F-161-5.1B FENCE, CLASS D                       | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 699.4700 | F-161-5.2A VEHICLE GATES                        | EACH        |
| 2024 | Standard Specifications for Construction | 699.4750 | F-161-5.2B PEDESTRIAN GATES                     | EACH        |
| 2024 | Standard Specifications for Construction | 699.4800 | F-162-5.1 CHAIN-LINK FENCE                      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 699.4850 | F-162-5.2A VEHICLE GATES                        | EACH        |
| 2024 | Standard Specifications for Construction | 699.4900 | F-162-5.2B PEDESTRIAN GATES                     | EACH        |
| 2024 | Standard Specifications for Construction | 699.4950 | F-163-5.1 CHAIN-LINK FENCE FABRIC               | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 699.5000 | F-163-5.2 CONCRETE PADS AT GATES                | EACH        |
| 2024 | Standard Specifications for Construction | 699.5050 | F-163-5.3 BORROW FILL MATERIAL                  | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 699.5100 | F-163-4.4 WEED CONTROL APPLICATION              | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 699.5150 | F-164-5.1 FENCE                                 | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 699.5200 | F-164-5.2 CHAIN-LINK FENCE SKIRT FABRIC         | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 699.5250 | F-164-5.3A VEHICLE GATE                         | EACH        |
| 2024 | Standard Specifications for Construction | 699.5300 | F-164-5.3B PEDESTRIAN GATE                      | EACH        |
| 2024 | Standard Specifications for Construction | 699.5350 | F-164-5.4 CONCRETE GATE PAD                     | EACH        |
| 2024 | Standard Specifications for Construction | 699.5400 | F-164-5.5 WEED CONTROL                          | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 699.5450 | D-701-5.1 PIPE                                  | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 699.5500 | D-701-5.2 PRECAST BOX CULVERT                   | EACH        |
| 2024 | Standard Specifications for Construction | 699.5550 | D-701-5.3 CONCRETE FOR PIPE CRADLES             | CUBIC YARD  |
|      |  |          |   |             |

| 2024 | Standard Specifications for Construction | 699.5600 | D-701-5.4 ROCK, HARDPAN, OR UNYIELDING<br>MATERIAL EXCAVATION | CUBIC YARD  |
|------|--|----------|---|-------------|
| 2024 | Standard Specifications for Construction | 699.5650 | D-702-5.1 SLOTTED DRAIN PIPE                                  | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 699.5700 | D-705-5.1 UNDERDRAIN PIPE                                     | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 699.5750 | D-705-5.2A POROUS BACKFILL NO. 1                              | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 699.5800 | D-705-5.2B POROUS BACKFILL NO. 2                              | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 699.5850 | D-705-5.3 FILTER FABRIC                                       | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 699.5900 | D-705-5.4 UNDERDRAIN PIPE, ALL-INCLUSIVE                      | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 699.5950 | D-751-5.1 MANHOLES  | EACH        |
| 2024 | Standard Specifications for Construction | 699.6000 | D-751-5.2 CATCH BASINS  | EACH        |
| 2024 | Standard Specifications for Construction | 699.6050 | D-751-5.3 INLETS  | EACH        |
| 2024 | Standard Specifications for Construction | 699.6100 | D-751-5.4 INSPECTION HOLES                                    | EACH        |
| 2024 | Standard Specifications for Construction | 699.6150 | D-752-5.1 UNCLASSIFIED EXCAVATION FOR STRUCTURES              | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 699.6200 | D-752-5.2 STRUCTURAL CONCRETE                                 | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 699.6250 | D-752-5.3 REINFORCING STEEL                                   | POUND       |
| 2024 | Standard Specifications for Construction | 699.6300 | D-754-5.1 STRUCTURAL CONCRETE                                 | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 699.6350 | D-754-5.2 REINFORCING STEEL                                   | POUND       |
| 2024 | Standard Specifications for Construction | 699.6400 | T-901-5.1 SEEDING   | ACRE        |
| 2024 | Standard Specifications for Construction | 699.6450 | T-903-5.1 SPRIGGING   | ACRE        |
| 2024 | Standard Specifications for Construction | 699.6500 | T-904-5.1 SODDING   | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 699.6550 | T-905-5.1 TOPSOIL (ON-SITE OR FROM STOCKPILE)                 | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 699.6600 | T-905-5.2 TOPSOIL (OFF-SITE)                                  | CUBIC YARD  |
| 2024 | Standard Specifications for Construction | 699.6650 | T-908-5.1 MULCHING  | SQUARE YARD |
| 2024 | Standard Specifications for Construction | 699.6700 | L-101-5.1 AIRPORT ROTATING BEACON                             | EACH        |
| 2024 | Standard Specifications for Construction | 699.6750 | L-103-5.1 BEACON TOWER AND FOUNDATION                         | EACH        |
| 2024 | Standard Specifications for Construction | 699.6800 | L-107-5.1 WIND CONE AND FOUNDATION                            | EACH        |
| 2024 | Standard Specifications for Construction | 699.6850 | L-107-5.2 SEGMENTED CIRCLE MARKER SYSTEM                      | EACH        |
| 2024 | Standard Specifications for Construction | 699.6900 | L-108-5.1 TRENCHING FOR DIRECT-BURIED CABLE                   | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 699.6950 | L-108-5.2 L-824 CABLE IN TRENCH, DUCT BANK, OR CONDUIT        | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 699.7000 | L-108-5.3 SOLID, BARE COPPER COUNTERPOISE<br>WIRE             | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 699.7050 | L-108-5.4 STRANDED EQUIPMENT IN DUCT BANK<br>OR CONDUIT       | LINEAR FOOT |
| 2024 | Standard Specifications for Construction | 699.7100 | L-109-7.1 CONSTRUCTION OF AIRPORT<br>TRANSFORMER VAULT        | EACH        |
|      |  |          |   |             |

| 2024 | Standard Specifications for Construction | 699.7150 | L-109-7.2 INSTALLATION OF TRANSFORMER<br>VAULT EQUIPMENT     | EACH                    |
|------|--|----------|--|-------------------------|
| 2024 | Standard Specifications for Construction | 699.7200 | L-109-7.3 CONSTRUCTION OF STRUCTURE AND FOUNDATION           | EACH                    |
| 2024 | Standard Specifications for Construction | 699.7250 | L-109-7.4 INSTALLATION OF EQUIPMENT IN<br>EXISTING STRUCTURE | EACH                    |
| 2024 | Standard Specifications for Construction | 699.7300 | L-110-5.1 ELECTRICAL DUCT BANK                               | LINEAR FOOT             |
| 2024 | Standard Specifications for Construction | 699.7350 | L-110-5.2 ELECTRICAL CONDUIT                                 | LINEAR FOOT             |
| 2024 | Standard Specifications for Construction | 699.7400 | L-115-5.1 ELECTRICAL MANHOLE                                 | EACH                    |
| 2024 | Standard Specifications for Construction | 699.7450 | L-115-5.2 ELECTRICAL JUNCTION STRUCTURE                      | EACH                    |
| 2024 | Standard Specifications for Construction | 699.7500 | L-115-5.3 ELECTRICAL MH/JUNCTION STRUCTURE ELEVATION ADJ.    | EACH                    |
| 2024 | Standard Specifications for Construction | 699.7550 | L-115-5.4 ELECTRICAL HANDHOLE                                | EACH                    |
| 2024 | Standard Specifications for Construction | 699.7600 | L-119-5.1 AIRPORT OBSTRUCTION LIGHT                          | EACH                    |
| 2024 | Standard Specifications for Construction | 699.7650 | L-125 INSTALLATION OF AIRPORT LIGHTING<br>SYSTEMS            | EACH                    |
| 2024 | Standard Specifications for Construction | 9000     | Liquidated Damages   | DAY                     |
| 2024 | Standard Specifications for Construction | SS001    | SS-PLACEHOLDER-MFBM  | 1000 FEET BOARD MEASURE |
| 2024 | Standard Specifications for Construction | SS002    | SS-PLACEHOLDER-ACRE  | ACRE                    |
| 2024 | Standard Specifications for Construction | SS003    | SS-PLACEHOLDER-CF  | CUBIC FOOT              |
| 2024 | Standard Specifications for Construction | SS004    | SS-PLACEHOLDER-CY  | CUBIC YARD              |
| 2024 | Standard Specifications for Construction | SS005    | SS-PLACEHOLDER-DAY   | DAY                     |
| 2024 | Standard Specifications for Construction | SS006    | SS-PLACEHOLDER-DL  | DOLLAR                  |
| 2024 | Standard Specifications for Construction | SS007    | SS-PLACEHOLDER-EA  | EACH                    |
| 2024 | Standard Specifications for Construction | SS008    | SS-PLACEHOLDER-GAL   | GALLON                  |
| 2024 | Standard Specifications for Construction | SS009    | SS-PLACEHOLDER-HR  | HOUR                    |
| 2024 | Standard Specifications for Construction | SS010    | SS-PLACEHOLDER-CWT   | HUNDREDWEIGHT           |
| 2024 | Standard Specifications for Construction | SS011    | SS-PLACEHOLDER-IN  | INCH                    |
| 2024 | Standard Specifications for Construction | SS012    | SS-PLACEHOLDER-LF  | LINEAR FOOT             |
| 2024 | Standard Specifications for Construction | SS013    | SS-PLACEHOLDER-LS  | LUMP SUM                |
| 2024 | Standard Specifications for Construction | SS014    | SS-PLACEHOLDER-LU  | LUMP UNIT               |
| 2024 | Standard Specifications for Construction | SS015    | SS-PLACEHOLDER-MILE  | MILE                    |
| 2024 | Standard Specifications for Construction | SS016    | SS-PLACEHOLDER-LB  | POUND                   |
| 2024 | Standard Specifications for Construction | SS017    | SS-PLACEHOLDER-SF  | SQUARE FOOT             |
| 2024 | Standard Specifications for Construction | SS018    | SS-PLACEHOLDER-SY  | SQUARE YARD             |
| 2024 | Standard Specifications for Construction | SS019    | SS-PLACEHOLDER-MGAL  | THOUSAND GALLONS        |
|      |  |          |  |                         |

|      | Standard Specifications for Construction | SS020 | SS-PLACEHOLDER-MLF | THOUSAND LINEAR FEET  |
|------|--|-------|--------------------|-----------------------|
| 2024 | Standard Specifications for Construction | SS021 | SS-PLACEHOLDER-MSY | THOUSAND SQUARE YARDS |
| 2024 | Standard Specifications for Construction | SS022 | SS-PLACEHOLDER-TON | TON                   |